

Cesare Bonetti



Cesare Bonetti - производит товары высокого качества, и имеет безупречную репутацию. Благодаря тому, что наша компания напрямую сотрудничает с фирмой-производителем, Вы сможете быстро получить товар по самой низкой цене. Если нужного товара, нет в списке, сообщите нам, и мы поможем Вам его найти.

ТОВАРЫ БРЕНДА

Продукт	Описание
008-LG-005A	GAUGE,LEVEL,MAG/MNP-3730-1.1/2in,CESARE Reference vessel mag float level indicat Type MAGNETIC Class MNP Manufacturer CESARE BONETTI Manufacturer Part Number MAG/MNP-3730-1.1/2IN EQUIPMENT : LEVEL GAUGE, MODEL : MAG/MNP-3730-1.1/2IN, TAG : 008-LG-005A, SEIC DWG : 3000-T-90-33-A-4039-00-04,P.9, POS : 1
1691-1"/600-SW	MANUAL VALVE GLOBE TYPE: "Y"; SIZE 1" ; CLASS 600
316+A1	SCALE SEAL TIGHT item no 6 ,BONT MAGNETIC LEVEL GAUGE TYPE: MAG 210/TLP-G21 VESSEL CONN.: 1" ANSI 600 RF OPERATING P: 51KG / CM2 OPERATING TEMP : 264 DEG C.
40309	
40409	
70150	Ball valve
70151	Ball valve
70152	Ball valve
70153	Ball valve
70154	Ball valve
70155	Ball valve
70156	Ball valve
70157	Ball valve
70158	Ball valve
70159	Ball valve
70160	Ball valve
70161	Ball valve
70164	Ball valve
70165	Ball valve
70166	Ball valve
70167	Ball valve
70168	Ball valve
70169	Ball valve
70170	Ball valve
70172	Ball valve
70173	Ball valve
70174	Ball valve
70176	Ball valve
80094	Ball valve
80095	Ball valve

Продукт	Описание
ASTM A 105	VALVE ISOLATION BONT item n0 19BONT MAGNETIC LEVEL GAUGE TYPE: MAG 210/TLP-G21 VESSEL CONN.: 1" ANSI 600 RF OPERATING P: 51KG / CM2 OPERATING TEMP : 264 DEG C.
FMTLP16/911752/290/002	FLOAT LEVEL INDICATOR, REPLACEMENT TYPE MAGNETIC LEVEL INDICATOR, 12/22-LG-3501 A (C-301)
MAG-MNP 21596	COMPLETE MAGNETIC LEVEL GLASS, SIZE: 1" ANSI 300. CBM 320810/50, D 70668, F316L, DISTANCE 810MM USED FOR 40-520-LG-561
MAG-MNP-1"#ANSI 300	Order unit: EACH, complete magnetic level glass, size:1" ANSI 300, CBM 320810/50, D70668, F316L, CENTER/CENTER DISTANCE 810mm used for 40-520-LG-561
MATERIAL ASTM A 105 ITEM NO : 20	BONT MAGNETIC LEVEL GAUGE TYPE: MAG 210/TLP-G21 VESSEL CONN.: 1" ANSI 600 RF OPERATING P: 51KG / CM2 OPERATING TEMP : 264 DEG C.
MN99PPFSTMN	INDICATING SCALE 316 VISIBILITY : 800 MM, ITEM:6
TT3300600090GR1	Level Guage, 4x9 body gasket, Material A105?graph, Flange 1", ASME300RF, to be used with Level Guage S/No. 42-320-LG-301 A/B/C
G41 1" 150 RF	VALVE, MATERIAL : ASTM A182 316 DRW:660953-2 ITEM:G41 FOR TRANSPARENT LEVEL GAUGE 1" 150 RF MANUFACTURER:CESARE BONETTI S.P.A MODEL:BT23-G41/4x7/CC=1400 MM/V=1160 MM/EXPIN60W Manufacturer Part No : G41.5.5.7/1" 150 RF/A182 316
AISI A105, DN25-800 IB, RPTFE	FLANGE BALL VALVE
TYPE T70 SIZE B-IX REF	PARTS FOR "BONETTI" KLINGER LEVEL GAUGE TRANSPARENT DRAWING FI.12/A MICA SHEET
MAG-TLP-39BAR	sight glass
MAG/MNP-2600-1.1/2IN	Level gauge
316SS DN20	Magnetic level indicator
40309	GLASS, LEVEL GAUGE: REFLEX, 13.1 IN
BT23-G41/5x9/CC=2100 MM/V=1760 MM/EXPIN60W	COMPLETE TRANSPARENT LEVEL GAUGE
BT23-G41/3x7/CC=2150 MM/V=860 MM/EXPIN60W	COMPLETE TRANSPARENT LEVEL GAUGE
BT23-G41/5x9/CC=2525 MM/V=1760 MM/EXPIN60W	COMPLETE TRANSPARENT LEVEL GAUGE
BT29-G41/3x7/CC=2400 MM/V=860 MM/EXPIN60W	COMPLETE TRANSPARENT LEVEL GAUGE
BT23-G41/3x9/CC=1300 MM/V=1040 MM/EXPIN15W	COMPLETE TRANSPARENT LEVEL GAUGE
BT23-G41/4x7/CC=1400 MM/V=1160 MM/EXPIN15W	COMPLETE TRANSPARENT LEVEL GAUGE
BT23-G41/5x9/CC=2600 MM/V=1760 MM/EXPIN60W	COMPLETE TRANSPARENT LEVEL GAUGE
BT24-G41/3x7/CC=2500 MM/V=860 MM/EXPIN60W	COMPLETE TRANSPARENT LEVEL GAUGE
MAG-TLP/CC-V= 6250 MM	COMPLETE MAGNETIC LEVEL GAUGE,
6031-3/4-1700-F316 (PREVIOUS P/N: 6031-3/4-1500-F316)	GLOBE VALVE
VFB015RO40T120052	Gasket
ITEM POSITION NUMBER :82,83,84 DRAWING NUMBER :RK234152FFRACS6-5-WELD	GLASS, REFLEX
ITEM POSITION NUMBER :82,84,85, DRAWING NUMBER:T230252FGRACFMP6-5-WELD	GLASS, TRANSPARENT

Продукт	Описание
ITEM POSITION NUMBER :82.84.85 DRAWING NUMBER :T230252FGRACFP6-5-WELD	GLASS,TRANSPARENT
ITEM POSITION NUMBER :82.83.84 DRAWING NUMBER :R231252FGRACEF6-5-WELD	GLASS,REFLEX
9721121303	SPRING, VALVE, ALLOY STEEL 52SICRNI5, FOR 3" valve
79190.	REFLEX
40307	Reflex glass
MAG00001, type MAG/MNP	magnetic level gauge
Certificate for MAG00001, type MAG/MNP	Certificate according to EN 10204 - 3.1
B 06-09 PAGE 12 /TYPE BR 25 WITH GP12, SIZE 3 X 7	
BULLETIN B 06-09	SIGHT GLASS REFLEX
BR 25 WITH GP12, SIZE 3 X 7	CUT GASKET FOR SIGHT GLASS
WBY005RE15110SWGR	
ART10000	CMI Swing Check Valve
792491/10 (2011)	Vessel connections flanged
BR23-G12-3X7	Liquid Level Gauge
BT 29-TEE RIGH HANDED	level gauge
BT 29-TEE LEFT HANDED	level gauge
BT23-G41	COMPLETE TRANSPARENT LEVEL GAUGE
ALB NSB 1240 (AZM00017) not available, alternative ALB-NSB 1240 EEx (AZM00011)	
40306	
AGB0B110	
40406	
TT290040006	INTERNAL GLASS PROTECTION TYPE B MOD.6 MICA
BC100001	
ALB NSB 1240 (AZM00017)	
Fig: 866 Pos: 2.1	
Fig: 866 Pos: 2.2	
Fig: 866 Pos: 3	
Fig: 866 Pos: 4	
Fig: 866 Pos: 6	
Fig: 866 Pos: 8	
Fig: 866 Pos: 14	
Fig: 866 Pos: 22	
Fig: 866 Pos: 24	
Fig: 866 Pos: 28	
Fig: 866 Pos: 42	
Fig: 866 Pos: 43	
MAG-MNP OEM	Magnetic Level Gauge CC&V MAG-MAP 3321
Type BR27 alternative BG3758.00	Mod.8 level gauge
40307	
BG3758.00	Glass level indicator
40307	

Продукт	Описание
802 obsolete, no replacement	SENSOR
BR23 obsolete, no replacement	Level Gauge
CBM 372020/20 obsolete, no replacement	
ALB-NSB 1240 EEx (AZM00011)	BONT magnetic switch
ALB NSB 1240 obsolete, alternative ALB-NSB 1240 EEx	Low Level Sensor
ALB-NSB 1240 EEx	
G41 obsolete	VALVE:GAUGE, TOP & BOTTOM W/ DRAIN