

Masterflex



Мы поставляем полную линейку продукции и запчастей компании Masterflex предприятиям по всей Украине, благодаря нашей дистрибьюторской сети по всему миру. Ниже приведен список продуктов марки Masterflex. Если нужного товара, нет в списке, сообщите нам код или модель и мы поможем Вам его найти. Для запроса цен и сроков поставки, пожалуйста, заполните форму обратной связи или пришлите описание необходимых Вам наименований на электронный адрес info@otec-industry.com.ua

Благодаря тому, что наша компания напрямую сотрудничает с многими производителями, Вы сможете быстро получить товар по самой низкой цене.

ТОВАРЫ БРЕНДА

Продукт	Описание
=77250-62	
77521-47 obsolete/replacement EW-07528-10	
07015-52	
07036-31	(PUMPHEAD MFLEX STD #36 PC/SS HS: 8413.91.9520 ECCN: EAR99 Country of origin: US)
07042-85	(AIR REGULATOR W/LUBRICATOR HS: 8413.91.9520 ECCN: EAR99 Country of origin: US)
07528 10	Driver
07540-06	
07542-06	Pump Drive
07569-00	(DRIVE MFLEX L/S AIR-POWERED HS: 8413.91.9520 ECCN: EAR99 Country of origin: US)
110-040-401	
114-120-101 MASTER-PUR HX, DN 120 - ABSAUG-/FORDERSCHLAUCH- 1X10M	
114-200-101	
117-070-101	Copper Coated Flex Hose antistatic High Abrasion Resistance Inner Diameter: 70mm
117-090-101	Copper Coated Flex Hose DN:90 Inner Diameter: 90mm
11730469 HV-96412-16	PUMP 2,614.95 2,614.95 TUBING
1189-5191	
120-050-601	
310-075-601	
311-120-618	Antistatic Flex Hose Crush-resistant Inner Diameter: 120 mm
311-160-618	steel Wire Copper Coated Flex Hose high Abrasion Resistance DN: 90 Inner Diameter: 90mm
325-063-107	HOSE SPIRAL SPRING STL WIRE TPV COATED POLYESTER 63MM ID X 72MM OD -40* TO +130*C
410-015-118	PU hose
532-120-888	Hose clamps, DN120MA

Продукт	Описание
620-120-888	Schneckengetriebeschleife, W4, 12 mm Spannungsbereich 120-140
6404-15 NORPRENE	
662-040-102	Q40 SIG MM BOSCH VACUUM HOSE
662-075-102	VACUUM HOSE 75 MM
671-051-107	hose
680-120-107	
77200 62	Pump Head
77411 00	driver
7760110	Pump Head
96400-16	silicone hose
96410 24	hose
96410-16	
96410-36	(TUBING MFLEX SILICONE #36 25' HS: 3917.32.0000 ECCN: EAR99 Country of origin: US)
9641082	tubing
EW-07014-20	Pumpenkopf - "Masterflex Standard pump head for L/S 14 tubing, PC housing/CRS rotor"
EW-07522-20	L/S Digital Drive, 600 RPM, 115/230 VAC
EW-07528-30	
EW-07540-20	Schlauchpumpe - „Masterflex L/S fixed-speed drive, 20 rpm, 115 VAC“
EW-95687-16	TUBING
HV-77200-62	PUMP
HV-77601-10	
HV-77601-10.	I/P Easy-Load pump head, PSF housing/SS rotor
HV-77921-65	PUMP
ISM1077A	Masterflex L/S pump
ISM1079B	
L/S SIZE #16, 50	chem-durance Bio tubing
MASTER-PUR H, DN 50	
MASTER-PUR H, DN 70	
SI-07554-90	DRIVE
Z375284 SIGMA	Pump drive,economy drive, AC input 190 - 260 V
114-150-101 Master-PUR	SUCTION HOSE
114-200-101 Master-PUR HX Trivolution, DN 200	SUCTION HOSE
110-125-401 Master-PUR L Trivolution, DN 125	SUCTION HOSE
110-065-401 Master-PUR L Trivolution, DN 65	SUCTION HOSE
77600-62	High-Performance Pump Head
EW-77410-10	
427; Colour : Grey	Polyurethane
10235222	Viton FDA Schlauch, ID=3,1mm, Gr.16 (VE=7,5 Meter) Stück (ST) = 1,0 x 1,00 M 3128283 <<< Ehem. Katalog-Nr. Ihr Artikel 9641216
10560663	Norpren 6404 Schlauch, ID=3,1mm, Gr.16 (VE=15 Meter) Stück (ST) = 1,0 x 1,00 M 3128253 <<< Ehem. Katalog-Nr. Ihr Artikel 0640416

Продукт	Описание
10454102	Norpren 6404 Schlauch, ID=0,8mm, Gr.13 (VE=15 Meter) Stück (ST) = 1,0 x 1,00 M 3128251 <<< Ehem. Katalog-Nr. Ihr Artikel 0640413
10590853	Norpren 6404 Schlauch, ID=7,9mm, Gr.18 (VE=15Meter) Stück (ST) = 1,0 x 1,00 M 3128256 <<< Ehem. Katalog-Nr. Ihr Artikel 0640418
11750159	SCHLAUCH VITON 2 STOPPER LS 16 Stück (ST) = 1,0 x 8,00 PCS Ihr Artikel 9642816
МК-06439-15,L/S 15	Peristaltikpumpschlauch
TW-06504-16	TUBING MFLEX NORPRENE
77201-60	PUMP HEAD L/S EASY-LOAD II SS
HV-77921-60 (obsolete - replaced by HV-77921-65)	
MR-07016-52	PUMPHEAD
MR-06402-16	TUBING MFLEX FOOD
693892	hose for acid pump
EW-07523-80 obsolete/replacement EW-07522-20	Peristaltic pump
EW-07522-20	L/S Digital Drive
532-110-888	Clip-Grip Schnellspannsch
532-150-888	Clip-Grip Schnellspannsch
532-160-888	Clip-Grip Schnellspannsch
311-150-498	Master-PUR STEP MHR
311-160-498	Master-PUR STEP MHR
311-120-498	Master-PUR STEP MHR
111-150-798 obsolete, alternative: 111-150-571	Master-PUR H-MHR A
111-160-798 obsolete, alternative: 111-160-571	Master-PUR H-MHR A
111-110-798 obsolete, alternative : 111-115-571	Master-PUR H-MHR A
678-102-101	Master-PUR L-F Trivolution
678-160-101	Master-PUR L-F Trivolution
111-150-571	Master-PUR H-Food A
111-115-571	Master-PUR H-Food A,
111-160-571	Master-PUR H-Food A
EW-06508-13	
EW-77600-62	I/P High-Performance Pump Head
EW-96421-88	BioPharm platinum-cured silicone pump tubing
96400-24	Silicone hose
17050-01	Calibration
TW-07557-10	L/S Precision Modular Drive
TW- 07623	Ismatec ISM184A Minicartridge
TW- 96410	platinum-cured
TW- 06424	C-Flex (50 A), L/
HV-06508-90 (25 ft.)	BPT Tubing

Продукт	Описание
EW-77600-67	Repl. occlusion bed assembly
HV-77601-00 obsolete/replacement EW-77602-00	
EW-77602-00	
EW-07533-70	
EW-77390-60 (set 1x2)	PTFE-tubing set
EW-06401-16 (50 ft)	
L/S PUMP W/EASYLOAD3+TYGON 7528007	pump
HV-06402-88	
HV-06402-89	
WU-07522-20	
WU-77200-50	
EW-77921-75	
EW-17050-01	
111-050-401	Master Pur H
650-050-207	
EW-96400-26	
MF.111.040.571	Hose
MF.686.007.999	Hose
MF.686.006.999	Hose
MF.686.006.998	Hose
MF.689.019.999	Hose
HV-07528-10	
GH-77916-20	
TW-96400-16	
TW-06475-16	
TW-06475-13	
TW-06475-18	
01 0249 0075	
TW-07522-30	
TW-77800-60	
229-350-111	
532-350-888	
EW-77250-62	
EW-05664-14	
310-254-601, old name 310-250-601	PU film hose Flamex B-F se DN254
TW-77800-60	
GY-96410-24	
EW-77601-60	
EW-77200-62	
EW-96400-14	
EW-96400-35	
EW-96400-36	
7549-44 obsolete/replacement EW-77410-10	

Продукт	Описание
77410	
EW-77410-10	
EW-77600-62	
EW-95612-46	
EW-07528-10	
EW-77602-10	
GY-96407-13	
EW-05664-24	
P35 4600 LOT 560579	Hose
EW-07016-21	
EW-07519-80	
EW-96241-24	
HV-07035-20	35 pump head
123-050-101 DN50	Tube
123-152-101	Tube
565-152-168	Flange
528-050-107/648-050-701 DN50	Socket
123-050-101 + 648-050-701 + 528-050-107 (1 pcs=20 m)	
123-150-101 DN150	Tube
HV-77921-75	
EW-77120-62	
EW-06449-48	
EW-06449-34	
EW-06440-15	
EW-06440-16	