

Oakton Instruments



Мы поставляем полную линейку продукции и запчастей компании Oakton Instruments предприятиям по всей Украине, благодаря нашей дистрибьюторской сети по всему миру. Ниже приведен список продуктов марки Oakton Instruments. Если нужного товара, нет в списке, сообщите нам код или модель и мы поможем Вам его найти. Для запроса цен и сроков поставки, пожалуйста, заполните форму обратной связи или пришлите описание необходимых Вам наименований на электронный адрес info@otec-industry.com.ua

Благодаря тому, что наша компания напрямую сотрудничает с многими производителями, Вы сможете быстро получить товар по самой низкой цене.

ТОВАРЫ БРЕНДА

Продукт	Описание
0- 175 C	
01X099417 ECFC7252201B	Electrodes PH-meter for Ph/mv/C meter pH 300 series equipment
01X211238	Zero Oxygen Solution, 500 mL
01X366309 CYBERSCAN CON 110	Conductivity/TDS/RS232 Meter with DAS, RS232C cable , Conductivity electrode, 1 electrode holder & Conductivity carrying kit set
01X366903 PHTEST30	waterproof, Dual Display of pH and Temperature
01X418304 WATERPROOF CYBERSCAN CON 600	printer output,measurement probe
01X543904	desktop conductivity meter,with WD-35412-01
1062T-JK	Portable temperature compensated thermocouple potentiometers for type K and type J thermocouples, Transmation
1062T-TE	Portable temperature compensated thermocouple potentiometers for type E and Type T thermocouples, Transmation
37250-20	HYGROTHERMOGRAPH LONG-CYCLE
CON 2700 01X543905	Benchtop Meter
CyberScan pH 300 Ser.No. 643786 replaced by pH 450	pH meter
ECPCDWP65000 WATERPROOF CYBERSCAN PCD 650	pH/ mV/ Ion/ Conductivity/ TDS/ Resistivity/ Salinity/ Dissolved Oxygen Meter with DAS software & multi probe holder
ECPCDWP65044K	

Продукт	Описание
EPCDWP65044K WATERPROOF CYBERSCAN PCD 650	Oakto Waterproof PCD650 Meter multiparameter kit
ENOTECH PCS TESTR 35	
EUTECH COND.6	
EUTECH MULTIPARAMETER PORTABLE METER PCD 650 FOR MEASUREMENT OF PH/ORP/COND/DO AND TEMPERATURE	
EW-05942-10	
EW-05942-15	
EW-08368-80	
EW-59001-65	
ION 2700	
ORDER NO. 01X218972 ART.NO. EC620130	Glass body, combination pH electrode, refillable, open pore (10 mL electrolyte included)
ORDER NO. 93X218810 ART.NO. ECFG6350601B	General purpose glass-body pH electrode. Single-Junction. Comes with 10 mL electrolyte
ORDER NO. 93X218814 ART.NO. ECFG7350401B	PH Meter Electrode, Oakton pH / mV / ° C meter pH 510 series should be appropriate to the electrode. Glass electrode should be. Refillable electrodes should be. Single electrode Ag / AgCl electrode should work with refens. 15-20µl electrode flow rate / N should be. Port must be ceramic electrode. 3.5 M KCl + AgCl electrode electrolyte fluid should be. Maximum pressure of 3 bar electrodes (including back pressure) should be. Measuring ranges of electrode 0-13 pH, - 5 ° C - 100 ° C should be. Electrodes should be spherical in shape and diameter of 4.5 mm. Be able to connect to the device electrodes with BNC input Electrode 1m cable length should be.
ORDER NO. 93X218824 ART.NO. ECFGHGK3F01B	Reinforced Glass-body Refillable pH Electrode, 12x110mm, BNC connector, 1m cable; spear tip
ORDER NO. 93X218842 ART.NO. ECFG7252001B	General Purpose, Flat-surface, Glass-body Single Junction Refillable pH Combination Electrode, 12x110mm, BNC connector, 1m cable
PCSTEST35	MULTIPARAMETER-TESTER
PCSTEST35	conductivity meter
THERMO-BAROMETER 945-1045 HPA	
WATERPROOF CYBERSCAN CON 400	Conductivity Meter with Conductivity electrode , 1 electrode holder & Conductivity/TDS carrying kit set
WATERPROOF CYBERSCAN PC 300 PH	/Conductivity/TDS Meter with double junction pH electrode ECFC7252201B, Conductivity electrode, 2 electrode holders (12mm dia. , 16mm dia.) & pH/Conductivity carrying kit set

Продукт	Описание
WD-03316-80	Wall Mounted Barometer with Temperature
WD-08368-40 - OBSOLETE, REPLACEMENT WD-08368-41	Chart paper
WD-08368-41	Chart Paper, Hygrothermograph, 2 or 3 speed, C, 7 day, For WD-37250-00,10
WD-08368-75	
WD-08368-80	
WD-35150-20	Conductivity Transmitter
WD-35150-50	Conductivity Transmitter
WD-35412-01 - NOT AVAILABLE	conductivity meter kit
WD-37250-10	Hygrothermograph
WD-60025-52 - INVALID PART NUMBER	Thermohygrometer with Dew point
Instruction Manual PC 510	Bench pH/Conductivity Meter
PCSTEST35	MULTIPARAMETER-TESTER
35618-91	KIT
1030BPE-220	
CON400 OBSOLETE	
EW-35425-10	
WD-35634-40	
WD-00653-04	Electrode Storage Solution, 1 pint
WD-00653-06	Electrode Cleaning Solution, 1 pint
PHSPEAR	Waterproof pHSpeAr Testr with MTC;
PC 450	PH Meter
PD 450	PH Meter
PHSENSOR04	Replacement Double Junction Spear-tip Electrode for pHSpeAr
PH-11 obsolete, replaced by ECPHWP15000/ ECPHWP15002/ ECPHWP15002K	
ECPHWP15000	pH 150 Meter
ECPHWP15002	pH 150 Meter
ECPHWP15002K	pH 150 Meter
WD-35811-72	All-in-one pH/ATC Probe
NIST-Traceable Calibration	
WD-35662-35 ECTEST11PLS	Auto-ranging for maximum resolution
ECCON603PLUS Alternative	
WD-35662-52	SALTTEST11 Salinity tester waterproof
TDSTEST11	

Продукт	Описание
ECTEST11PLS	
WD-35662-30 TDSTEST11	ECTestr 11 dual-range
ECTDSENSOR Replacement Sensor for Waterproof SaltTestr11	
EW-00653-18	conductivity solution
35624-00 obsolete/replacement EW-35423-10	ph-метр tester-1
EW-35423-10	
626956	
P/N: EW-35425-00	
EW-90003-00	
EW-35413-20	
EW-35414-20	
pH 450	PH/MV/ISE/T Waterproof pH 450 Portable Meter
WD-35613-54	Measuring device
GZ-17106-20	InnoCal NIST-Traceable Calibration, for a pH Meter
EC-FC72522-01B	
WD-35812-12	
WD-35802-63	
pH Probe For pC450	
pH Probe Solution For pC450	
Ph dual junction electrode for PC700 SI-35608-50	
ISE Chloride probe cod WD 35812-12	
solution kits for ISE chloride probe -cod WD-35802-63	
93x219065	Electrode
ECTestr 11+ multi- range + EW-35662- 35 obsolete/replacement EW-35634-65	multirange cup-style portable pocket conductivity meter
WD-35613-05	
WD-35423-10 obsolete/replacement WD-35423-01	ECO TESTER
WD-35423-01	
EW-35634-65	
EW-35632-80	
EW-00653-16	Conductivity Standard Solution

Продукт	Описание
WD-00653-47	Calibration Solution.EC