

Qualitrol



Qualitrol - производит товары высокого качества, и имеет безупречную репутацию. Благодаря тому, что наша компания напрямую сотрудничает с фирмой-производителем, Вы сможете быстро получить товар по самой низкой цене. Если нужного товара, нет в списке, сообщите нам, и мы поможем Вам его найти.

ТОВАРЫ БРЕНДА

Продукт	Описание
003-30P	Füllstandsanzeiger Incl. Schwimmer und Skala
030-062-01	(3 LEVEL GAGE)
03-02-25	thermmometer for power transformer(AKM)
031.102.07.CS.40160	Tank level indicator
032-300-02 CS-34548 6	Level indicator
042-334-05	Liquid Level Gauge (complete set with Float & Auxiliary Contact)
050-010-01	
050-021-01	Gauge compoud - 1to 1KG/CM2,DIAL 100MM,Connection MPT 1/4 IN,case material steel,connection location center back mount stem standard ansi B40.1 FFT MATL 2628 XXX pressure vacuum
050-35E	
050-35E	Gauge, Pressure And Vacuum Range 0-10PSIG, EQUAL DIV 1/4IN NPT Brass, Back Conn 3-1/2IN Face, Hal Transformer L-0404/0407
104-328-01	
111W-X-X	
111W-X-X WINDING ETM	
118H-U-K-02	Electronic Temperature Monitor
118ITM-P-4	SENSOR,F/TRANSFO RMER,C/W 3
118ITM-P-4-M	TEMPERATURE, ELECTRONIC, 120/277 INPUT, 50/60 HZ, 1 AMP TYPE K TCPL, 192" LG CABLE, SPECS:RELAY CONTACT:FAN: 120/277V 12/6 A ? HP @ 120V 1 HP @ 277VALARM: 120/240 V 10/8 A RESISTIVETRIP: 120/240 V 10/8 A RESISTIVE
118ITM-P-4-M	118ITM PANEL MT W/4-20mA & MODBUS
118L-3-P-X-X	MONITORING RANGE 0-200 DEG C FOR DRY
148-010-01	pressure switch
148-010-02	
205-012-01	PRESSURE RELIEF VALVE
206-70N-12	PRESSURE RELIEF DEVICE,PRESSURE SETTING 10 PSI, FOR AREVA EARTHING TRANSFORMER
208-002-01	Wide relief valve contactless 0.28 Bar
208-60AJ-C5-32027	PRESSURE, DEVICE,PERATING PRESSURE: 7 PSI (0.48 BAR), CODE: 235169, WITH ALARM OR SIGNAL SWITCH,FOR LIQUID-FILLED TRANSFORMERS
213-006-01	PRESSURE RELIEF DEVICE,20 PSI FOR ARC FURNACE TRANSFORMER WITH SERIAL N.O.: S8006B 120 MVA,33//0.549-1.143 KV
34.4.01.12x-6.0 / AKM345-00237481	themometer

Продукт	Описание
38920-3	Sf6 Range: 0 - 0.9Mpa; Tank connection M30x2 oring seal; Gauge diameter: 108mm; Number of swicht: 3
38920-3	SF6 gas density monitors
48515-1	
900-003-02	RAPID PRESSURE
909-200-01 obsolete and replaced by 909-300-01	AC/DC Seal-In-Relay
910-010-03	
AKM 34	
AKM 35	Winding Thermometer
AKM344-0516 X 10.00	
AKM344-0519X10.00>REPLACED BY>AKM345-00242703	Remote mount thermometer
AKM345-00237158	Contact thermometer
AKM345-00237200	Contact thermometer
AKM345-00242703	[OIL TEMP/WINDING TEMP INDICATOR Thermometer Style 34 OTI Number of Switches 4 Dial Range 05 = -20-130C Probe Type 19 Capillary Length (M) 10 Switch Type STD SWITCH]
AKM345-00243386	
AKM345-00245975	OIL TEMP/WINDING TEMP INDICATOR Thermometer Style 34 OTI Number of Switches 2 Dial Range 05 = -20-130C Probe Type 15 Capillary Length (M) 4 Switch Type STD SWITCH Remote Indication NONE Protection Class IP55 Case Finish RAL7000 Captive Hardware NO(FIXED) Lens Material POLYCARBONATE Label 46894 OTI Mounting STD MOUNTING Matching Resistance NONE Measuring Accuracy STANDARD Adjustable Differential NONE Switching Differential STANDARD Probe Connection STANDARD Capillary STANDARD(SS) Cable Entry PG16
AKM345-00245976	WINDING THERMOMETER TYPE: 35.2.06.15-4
AKM345-00246062 / 35 WTI	
AS1000-00193249	MICROSWITCH/ SWITCH ALARM ONLY WITH CONTROL CABLE DEVICE WIRING: 3Q05 CONNECTOR NUT STYLE: STANDARD NUT STD SHELL CONNECTOR STYLE: QUALITROL(DETACHABLE) SWITCH ACTION: LATCHING (MANUAL RESET)
CAB-625-4	CABLE ,ASSY,TP K96
CON-630-3	
CON-630-8	connector and cable assembly 15 foot long
DAL-026-191	
DAL-026-70	Local Lube Oil Lvl Gauge
IED509-00244662	INTELLIGENT ELECT DEVICE
INFORMA PMD-A	
LPRD00-00007362	PRESSURE RELIEF DEVICE FOR SMIT MAKE IDT,8 PSI; CONTRACT NO: CE/102/97, TYPICAL SR. NO OF ID T: 220472
LPRD00-00231294	Valve, cup assembly 54154.0100-01
LPRD208	
IED 509-00029901 code: 509300 obsolete replacement IED509-00244662	Load Tap Changer Monitor
MSRT-150F	Oil temperature indicator, 2 C/O contacts
MSRT-150WF	Winding temperature indicator, 4 C/O contacts
NY - DAL-026-19	

Продукт	Описание
NY -DAL-026-70 (Item Nr.042-017-01 6 LEVEL GAGE 2 SW)	
OIL THERMOMETER AKM	
PMD-A	oscilloperturbograph
PRESSURE RELIEF DEVICE FOR TRANSFORMER, 1 C/O CONTACT LPRD	
PV GAGE 10-0-10 PSI	PRESSURE/VACUUM INDICATOR 0-10 PSI
PV GAGE 15-0-15	PRESSURE/VACUUM INDICATOR 0-15 PSI
QUALITROL 050, 0-100 PSI	PRESSURE/VACUUM INDICATOR 0-100 PSI
QUALITROL 050, 0-50 PSI	PRESSURE/VACUUM INDICATOR 0-50 PSI
SERIES 509	protection relays for high voltage transformers
STB-100-1	smart transformer breather
TR6000-00031487	
WINDING THERMOMETER AKM	
XPRD	
AKM 3440518X-10.0	with a degree of protection against water and dust IP65
104-324-26 CS-43396	6" REMOTE THERMO, 2 SWT.
104-324-26 CS-43867	6" REMOTE THERMO, 4 SWT and 130-003-01 included
208-007-04 CS-43391	PRD 4.3 PSI 2 SW with 10 PSI (Gold Sw.)
035-042-01 CS-43868	3.5 LEVEL GAGE 1 SW with dial diameter 90mm
351-2A	VALVE; CONNECTION SIZE: 1/4 INCHES, CONNECTION TYPE: 14-NPT, BODY MATERIAL: CAST ZINC-AL, TEMPERATURE RANGE: -40 TO 70 DEGREE CENTIGRADE, APPLICATION: PRESSURE VACUUM BLEEDER, MNFR DRG: 10IA04-T01 REV 1 ITEM: 14, MNFR DRG: 15I31-T01 REV 01 ITEM: 14, MNFR DRG: EF5-306-H-004-320-7013-001 REV 2 ITEM: 14, FFT: WITH CONTACTS
148-008-01	GAUGE, COMPOUND; TYPE: PRESSURE AND VACUUM, RANGE: -10 TO 10 POUND PER SQUARE INCH CLASS, DIAL SIZE: 3.5 INCHES, CASE MATERIAL: AL ANODIZED, STEEL COLD ROLLED, CONNECTION TYPE: NPT X COMPRESSION, CONNECTION SIZE: 1/4-18 X 5/16 INCHES, CONNECTION LOCATION: CENTER BACK, MOUNTING FACILITY: VERTICAL, FILLED: POLYCARBONATE MOLDED, MNFR DRG: 10IA04-T01 REV 1 ITEM: 14, MNFR DRG: 15I31-T01 REV 01 ITEM: 14, MNFR DRG: EF5-306-H-004-320-7013-001 REV 2 ITEM: 14, FFT: WITH CONTACTS; FOR POWER TRANSFORMER (RATING: 500/560 KVA)
165-205-01	THERMOMETER, DIAL; TEMPERATURE RANGE: 0-160 DEGREE CENTIGRADE, DIAL SIZE: 5 INCHES, CONNECTION TYPE: NPT, CONNECTION SIZE: 3/8 INCHES, TYPE: OIL, CONNECTION LOCATION: CENTER BACK, MATERIAL: DIE-CAST AL, ACCURACY: +/-2 PERCENTAGE, MNFR DRG: 10IA04-T01 REV 1 ITEM: 15, MNFR DRG: 15I31-T01 REV 01 ITEM: 15, MNFR DRG: EF5-306-H-004-320-7013-001 REV 2 ITEM: 15, FFT: WITH CONTACTS; FOR POWER TRANSFORMER (RATING: 500/560 KVA)
104-680-02	THERMOMETER, DIAL; TEMPERATURE RANGE: 0-160 DEGREE CENTIGRADE, DIAL SIZE: 6 INCHES, STEM LENGTH: 168 MILLIMETER, CAPILLARY LENGTH: 3658 MILLIMETER, CONNECTION TYPE: NPT, CONNECTION SIZE: 1/2 INCHES, TYPE: REMOTE WINDING, CONNECTION LOCATION: BOTTOM, MATERIAL: DIE-CAST AL, STANDARD: CSA; UL, ACCURACY: +/-2 PERCENTAGE, MNFR DRG: 10IA04-T01 REV 1 ITEM: 18, MNFR DRG: 15I31-T01 REV 01 ITEM: 18, MNFR DRG: EF5-306-H-004-320-7013-001 REV 2 ITEM: 18, FFT: WITH CONTACTS; FOR POWER TRANSFORMER (RATING: 500/560 KVA)

Продукт	Описание
7112C68G04	GAUGE, COMPOUND; TYPE: PRESSURE; VACUUM, CASE MATERIAL: STEEL, MNFR DRG: AS4081601 REV 0 ITEM: 11, MNFR DRG: BS4079501 REV 0 ITEM: 9, FFT: WITH AIR TEST AND SEALED AIR VALVE, GLASS LENS; FOR SMALL POWER TRANSFORMER
LPRD00-00007560 LARGE PRESSURE RELIEF DEVICE	REGULATOR, PRESSURE; INLET PRESSURE: 10 POUND PER SQUARE INCH CLASS, BODY MATERIAL: STEEL, TYPE: RELIEF, MNFR DRG: AS4081601 REV 0 ITEM: 16, MNFR DRG: BS4079501 REV 0 ITEM: 14, FFT: WITH ALARM (63 P), SEMAPHORE, HANDHOLE (DIA: 7 MM)
900-009-03	
104-673-03 CS-34413	Remote winding temperature indicator
CAS-651-1 3.5 LL CASE ASBY	GAUGE, LEVEL; TYPE: MAGNETIC LIQUID, MATERIAL: STEEL, MNFR DRG: AS4081601 REV 0 ITEM: 10, FFT: LENS MATERIAL: GLASS; WITH ALARM CONTACTS, FLAG DIAL; FOR SMALL POWER TRANSFORMER
IDM+ 36A/128D	(6U high) Data Acquisition Unit, Solid State Device with industrial CF Storage Card
(LSU) MKIII - SSD	2 GB RAM, 1.6GHz Intel Atom, 16GB Compact Flash, 32GB Solid State Disk, USB, Dual LAN, Dual SERIAL port, network printing
48515-1	SWITCHING POWER SUPPLY
Nomad NMD obsolete/replaced by NMT	
213-006-01	
40040111 TYPE: 208-011-04. PRESSURE: 10PSI, (0.69 BAR)	PRESSURE RELIEF DEVICE WITH GASKET AND AUXILIAR YSWITCHES
NMT (NOMAD PORTABLE SINGLE CHANNEL CONDITIONNER, COLOR TOUCH SCREEN)	
SWT-673-1; ALARM SWITCH PRD	
SWT-680-1	PRD DIRECT WIRING 2P
SWT-692-1 , SHIELD SWITCH, DIR WIR, DPDT	
SWT-639-1, ALARM SWITCH-PRD	
SWT-691-1 (SHIELD SWITCH DIR WIR)	
CON-603-5, 16/3 CONN ASBY 48"	
208-007-03	PRESSURE RELIEF DEVICE 8 PSI
AKM345-00248000, 34/GEN2	OIL TEMP/WINDING TEMP INDICATOR
AKM345-00248001, 35/GEN2	Winding Temperature Indicator
104-324-46	6" REMOTE MT THERMO 4 SW
208-60S	PRD 12 PSI
120-001-01	6 DIRECT MT THERMO
909-300-01	AC-DC SEAL IN RELAY
44611-1	MAX. THERMOMETER
44611-2	MAX. THERMOMETER
44611-3	TOP THERMOMETER
48471	MAX. THERMOMETER
Serie 104-324-xx	Fernthermometer

Продукт	Описание
045-60E	
167-288-01	5 DIRECT MT THERMO 2 SW
104-382-01	
TR6000-00043068 - obsolete replaced by TR6000B-00250158	
TR6000B-00250158	REMOTE THERM
TYPE 208-60	SELF-RESET TYPE PRESSURE RELIEF DEVICE FOR TR
AKM 44612 Manufacturer Part Number (M) - 44612 FOR AUXILIARY TRANSFORMER	THERMOMETER DUAL CONTACT
AKM 44622	
44617-00-110	
AKM 44618	Direct mount thermometer
44622-00-110	
44622-01-110	
ES65230008001	PRESSURE RELEASE
AKM WTI 35	Winding Temperature Indicator
CAB-699	Fiber optic temperature probe
34751-2	OIL LEVEL INDICATOR
ServeronTM8	On-line DGA Monitor
XPRD00-00252277	XTRA PROTECTION RELIEF DEVICE
STB-100-1	SMART TRASFORMER BREATHER
STB-200-4	Smart Transformer Breather
(AKM) OTIWTI™	Winding Temperature Indicator
SWT-677-1	limit switch
104-643-01 CS-16974	
AKM345-00221525	OIL TEMP/WINDING TEMP INDICATOR
AKM345-00221524	OIL TEMP/WINDING TEMP INDICATOR
STB-100-2	SMART TRANSFORMER BREATHER
46981 (8850183/02)	CONNECTION
46981 (8850185/02)	CONNECTION
AKM 34.4.01.10.X	
AKM 35.4.01.10.X	
SWT-679-1	limit switch
LPRD00-00012820	LARGE PRESSURE RELIEF DEVICE
032-301-01	
032-301-02	
Series 208	Pressure Relief device
LPRD00-00010063	LARGE PRESSURE RELIEF DEVICE
CON000-00013684	DETACHABLE CONNECTOR ASSEMBLY
208-002-04	
CON-667-1	
031-036-02 CS-17909	RR GAGE DUWAG
AKM345-00239494	OIL TEMP/WINDING TEMP INDICATOR
AKM345-00239495	OIL TEMP/WINDING TEMP INDICATOR
46770	
SWT-612-2	ALARM SWITCH-PRD

Продукт	Описание
47877	REMOTE INDICATOR
AKM345-00255705	OIL TEMP/WINDING TEMP INDICATOR
208-60F	PRESSURE RELIEF
AKM345-00217290	OIL TEMP/WINDING TEMP INDICATOR
AKM345-00195024	OIL TEMP/WINDING TEMP INDICATOR
AKM 345 Gen 2	
AKM OTI Type 34	Oil Temperature Indicator
AKM WTI Type 35	Winding Temperature Indicator
AKM345-00094319	OIL TEMP/WINDING TEMP INDICATOR
900-025-01	RAPID PRESSURE RISE DIR WIR
SWT-645-1	ALARM SWITCH-PRD
E-Lok BR151/140	Connector
LPRD00-00006254	LARGE PRESSURE RELIEF DEVICE
ETM505-00033438	ELECTRONIC TEMPERATURE MONITOR
BEN 6000	fault recorder portable
LPRD00-00256811	LARGE PRESSURE RELIEF DEVICE
AKM345-00253395	OIL TEMP/WINDING TEMP INDICATOR
SWT-680-1	TRANSFORMER
206 MPRD	valve
038	gas accumulation indicator
900/910	rapid pressure rise relay
042-017-01	
LLG-042-00020590	
900-016-02	
900-016-01 (obsolete replaced by 900-016-02)	
050-35E	
900-016-02.	
AP-C10-01A-01E_092	
910-014-02	Rapid Pressure Rise Relay
CON-659-13	electrical connector and cable
AP-L17-03L-01E_049	VERTICAL OIL LEVEL SWITCH
092-051-01	
35650-150/150	
261D339G01	HOTTES SPOT TEMPERATURE INDICADOR
TR6000-00022175	
TR6000B-00176476	
AKM345-00237354	
AKM345-00016717	
038-002-03	GAS ACCUM IND-B B
032-301-02 G1081 Obsolete!! Replaced by LLG032-00143601	
LLG032-00143601	
042-012-01	
208-007-05	PRD 12 PSI
032-301-02 G1081 Obsolete!! Replaced by LLG032-00 143601	

Продукт	Описание
LLG032-00143601	
LLG042-00014409	
38960-3	DENSITY MONITOR
LPRD00-00022975	LARGE PRESSURE RELIEF DEVICE
208-60 - invalid code, correct 208-60Z	
408XT-08-SPO-EPO-M2	T guard
208-60W	
AKM345-00243386	OIL TEMP/WINDING TEMP INDICATOR
208-60Z	
P/N: CAS-652-40	Gauge
safety valve XPRD_00	
Intelligent dehumidifier STB	
AKM345-00228500	TEMP INDICATOR
AKM345-00230848	TEMP INDICATOR
AKM345	
042-300-02 G1321 obsolete replaced 042-300-02 CS-42700	LEVEL GAUGE
042-300-02 CS-42700	
208-60Y	Pressure Relief Device
092-008-03	FLOWMETER
045-60E	
208-60U CS-46301	Pressure relief device
900-025-61 CS-40797	Sudden pressure relay
AKM OTI34	
GAS-118-2	
38960-3	DENSITY MONITOR
045-60E	
208-60F	PRESSURE RELIEF DEVICE 10 PSI W/SW
AS1000-00248187	
340-00901	
118L-3-P-X-M	
AKM345-00238225	
AKM345-00033455	
AKM345-00265307	
AKM345-00265308	
AKM345-00243284	
47877	
44664-202	
34725-2	
44712-2	
208-60Z	
208-60P	
900-025-31	
CPR-1/MT	
AKM345-00231849	
900-025-03	

Продукт	Описание
035-021-01	
50-35E	
351-013-01	
AKM345-00260765	
AKM345-00260766	
AKM345-00260767	
AKM345-00260768	
208/213/216 LPRD	
049-101-02 CS-43710	Level switch
049-102-02	Level switch
049-102-03	Level switch
148-016-02	Pressure switch
092-061-01 CS-40444	3.5 FLOW GAGE-1SW
CS-40444 // 092-061-01	3.5 FLOW GAGE-1SW ADJ 1-5IN OZ
111-300-8	
092-300-02	
298/0224229/B	Temperature Indicator
092-061-01 CS-40444	3.5 FLOW GAGE-1SW ADJ 1-5IN OZ
208-007-04	
092-300-01	
104-412-01	6" REMOTE SCADA-GEPRO-HD10
ES25430001-001	LIQUID LEVEL GAUGE,
AKM 67	Oil Level Indicator
125T	Pressure relief device
032-048-01	oil level gauge
208-001-40 PRD 10 PSI	rapid pressure
031-036-01 CS-33018	RR GAUGE W/SQ
042-300-02 obsolete	level sensor
039-014-01 CS-40164	
104-324-28	
T/GUARD 405. 16	
RS485	SERIAL PORT
EXT-3MP-10	CABLE 10 METER
148-018-01 CS-45471	
148-018-01 CS-45471	
208-60V	
208-030-03	Pressure relief devive
AKM345-00243386	OIL TEMP/WINDING TEMP INDICATOR
AKM345-00271331	OIL TEMP/WINDING TEMP INDICATOR
AKM345-00271332	OIL TEMP/WINDING TEMP INDICATOR
AKM345-00272788	
9348-0005	
9073-0003	
9193-0005	
22-9449-06	
SBU80-302	
13-9498-05-008	
13-9501-03-004	

Продукт	Описание
ITM509-00273630	INTELLIGENT TEMP MONITOR
PLT-719-1 900/910	
CON000-00273484	
909-300-01 AC-DC	
AKM OLR	Remote Mechanical Oil Level Indicator
042-017-01	
208-007-02	overpressure valve
213-006- 01	PRESSURE RELIEF DEVICE
AS1000-00223097	LPRD ALARM SWITCH
GAS-087-1	GASKET 208 FLANGE
AKM345-00275493	
LLG042 - 00049819	oil level sensor
TR6000B-00275821 Type 104 SERIES 6"	REMOTE THERM
TR6000B-00275822 Type 104 SERIES 6"	REMOTE THERM
103-010-01	RESISTANCE BULB PLATINUM
38960-3	valve
104-324-46 CS-51040	
103-044-01	Ambient Sensor
103-044-01 coil	Platinum Coil Assembly
XPRD00-0262571 CS	XTRA Protection Relief Device
44708-400	FLOAT ROD RADIUS
SWT-612-1	ALARM SWITCH-PRD
900-003-32	Rapid Pressure Rise FLG B
042-310-02	Magnetic Oil Level
032- 301-01	Magnetic Oil Level
130-001-02	Winding Temp Simulator
208-007-04+SWT 612-4	Pressure Relief
104-324-48	Winding Temp Gauge
104-324 -48	Oil Temp Gauge
415-P73B	ALARM SWITCH-PRD
CON-603-12	
AE94055665-002	Winding Temperatur Indicator
AE84695700-1	Rapid Pressure Relais
ITEM CL 060	OIL LEVEL INDICATOR
ITEM CL 064	OIL LEVEL INDICATOR
DAL-026-8P	Oil level indicator
092	
208-001-35	Avoidance valve
LLG042	Tank Level Indicator for CCW and CACW Balance Tank
208-00135	Avoidance valve