

## Robuschi



Мы поставляем полную линейку продукции и запчастей компании Robuschi предприятиям по всей Украине, благодаря нашей дистрибьюторской сети по всему миру. Ниже приведен список продуктов марки Robuschi. Если нужного товара, нет в списке, сообщите нам код или модель и мы поможем Вам его найти. Для запроса цен и сроков поставки, пожалуйста, заполните форму обратной связи или пришлите описание необходимых Вам наименований на электронный адрес [info@otec-industry.com.ua](mailto:info@otec-industry.com.ua)

Благодаря тому, что наша компания напрямую сотрудничает с многими производителями, Вы сможете быстро получить товар по самой низкой цене.

### ТОВАРЫ БРЕНДА

Продукт	Описание
<a href="#">10000.</a>	
<a href="#">10047, 10415, 12440 X 2, POS. 6</a>	Bearing, ECJ Steelframe, Pos. 31, RBS 15-25, Bearing C3, Pos. 32, RBS 15-25, Bearing C3, Metallframe, Pos. 33, RBS 15-25,
<a href="#">10191.</a>	
<a href="#">10329 POS.7</a>	Seal ring, Viton, Pos. 43, RBS 15-25
<a href="#">10342</a>	Filter blower air filter
<a href="#">10390.</a>	(Oil level plug, 3/4", Pos. 78/3855)
<a href="#">10394.</a>	(Oil plug, 3/4", Pos. 76/77)
<a href="#">10617, POS. 41A+P, RVS 23-25/TM</a>	Gleitringsdichtung
<a href="#">10655.</a>	(Bearing, Pos. 31, RBS 75-86)
<a href="#">10656.</a>	(Bearing, Pos. 32, RBS 75-86)
<a href="#">10657.</a>	(Bearing, Pos. 33, RBS 75-86)
<a href="#">10657.</a>	(Bearing, Pos. 33, RBS 75-86)
<a href="#">10658.</a>	(Seal ring, Viton, Pos. 43, RBS 75-86)
<a href="#">10659.</a>	(Shaft sleeve, Pos. 37, RBS 75-86)
<a href="#">10660</a>	
<a href="#">10666.</a>	(Gasket, Pos. 50, RB(LP/S) 70-86)
<a href="#">10688 RMV/RVS 16-21S/SG</a>	mechanical seal for impeller
<a href="#">10700 POS.4/5</a>	Set of Gears, complete Pos. 11A/B RBS 15 - 25 , 4/5 Positions from your request
<a href="#">10700 POS.4/5</a>	Set of Gears, complete Pos. 11A/B RBS 15 - 25 , 4/5 Positions from your request
<a href="#">10731</a>	(Sealing Chamber, Pos. 20, RB(S)70-86)
<a href="#">10732.</a>	(Sealing Spacer, Pos. 25, RBS 75-86)
<a href="#">10733</a>	(Oil splash disk, Pos. 23 A-C, RB(S) 70-86)
<a href="#">10734.</a>	(Lock nut,GUP, RBS 75-86)
<a href="#">10736.</a>	(Flexible Ring, Pos. 45, RB(S) 70-86)
<a href="#">10737.</a>	(Comp.-ring, LMKAS-110, Pos. 63A, RBS 75-86)
<a href="#">10738.</a>	(Comp.- ring LMKAS-72G, Pos. 64, RBS 75-86)
<a href="#">11033.</a>	(Synthetic-oil, 3 liter, ISO VG 220, 65-86 (Robox 3))

Продукт	Описание
<a href="#">11111, RVS 25 EXE. 09</a>	Laufgrad mit Welle, code: RBAG3187290001, Material: cast iron - steel incl. Paßferder 12x8x100
<a href="#">11252 / DN 150</a>	CHECK VALVE / DN150
<a href="#">11416</a>	Blower belt
<a href="#">11523, POS. 8G, RVS 23-25</a>	spare parts
<a href="#">11524, POS. 8D, RVS 23-25</a>	Hintere Grundplatte code: RB3187340170
<a href="#">1161310113</a>	SLEEVE, SHAFT, FOR RCK V 100 - 26, MAT. : AISI 316 L , POS. : 2450 SIZE : 45 X 130 S/N. : D1483-84
<a href="#">1513401008</a>	PACKING, FOR GLAND, 65 X 45MM THK. 10MM MATERIAL GRAPHITIZED ASBESTOS ARAM PTFE5002 POS. : 4130
<a href="#">25 B, RBS 165-175</a>	
<a href="#">25, RBS 165-175</a>	
<a href="#">318736, POS. 6, RVS 25</a>	Grundkörper,code: RB3187371065, Material: FE 510
<a href="#">319568/9 POS.1/2/3</a>	Pair of rotors, complete with shaft, Pos. 2B/C, RBS 15 , 1/2/3 Positions from your request
<a href="#">319568/9 POS.1/2/3</a>	Pair of rotors, complete with shaft, Pos. 2B/C, RBS 15 , 1/2/3 Positions from you request
<a href="#">319568/9 POS.1/2/3</a>	Pair of rotors, complete with shaft, Pos. 2B/C, RBS 15 , 1/2/3 Positions from you request
<a href="#">322923 RVS 21/SG</a>	Impeller
<a href="#">BEARING, 3205.C3, METALLFRAME, POS. 33, RBS 15-25</a>	
<a href="#">BEARING, 6304.C3, POS. 32, RBS 15-25</a>	
<a href="#">BEARING, NJ 205 ECJ STEELFRAME, POS. 31, RBS 15-25</a>	
<a href="#">BLOWER FILTER</a>	
<a href="#">CASING COVER POS. 1222, RCPN 200-36</a>	rear plate
<a href="#">CASING COVER POS. 1222, RN 250-315</a>	rear plate
<a href="#">CENTRIFUGAL PUMP CRCPN 200-360-SB14</a>	pump SN 9600235,250/200MM,390 hr., 24m.c.e., 22 kw, 1450r.p.m.
<a href="#">CENTRIFUGAL PUMP CRNS 250-315-SB14</a>	pump, SN 05-00699, 250/200mm, 720 hr., 24 m.c.e., 75kw, 1460 r.p.m.
<a href="#">CRCN65-36 TMD O5 M41 PUMP</a>	KTL M41 pump
<a href="#">CRCN65-36 TMD O5 M42PUMP</a>	KTL M42 pump
<a href="#">CRNS80-250 TMD O</a>	KTL pump:M39
<a href="#">CRNS80-250 TMD O M39</a>	KTL M39 pump
<a href="#">CRNS80-250 TMD O M40 PUMP</a>	KTL M40 pump
<a href="#">ES 15-25</a>	(Fan Robox 1,11800 netto Gewicht:3,00 kg,CLU 200)
<a href="#">ES 35-65</a>	(Fan Robox 2,11801 netto Gewicht:3,80 kg,CLU 250)
<a href="#">ES 65-95</a>	(Fan for Robox 3,12260, netto Gewicht: 5,00 kg,CLU 300)
<a href="#">FLEXIBLE PISTON RING FOR RBS 15/V</a>	
<a href="#">GASKET, POS. 50, RBS 15-25</a>	
<a href="#">GEBLÄSESTUFE RBS 15/F (V)</a>	

Продукт	Описание
<a href="#">IMPELLER POS. 2200, D 308, RN 250-315</a>	turbine for pump RN250-315, SN 05-00699
<a href="#">IMPELLER POS. 2200, D 343, RCPN 200-36</a>	
<a href="#">LUBRICATING DISK, POS. 16A, RBS 15-25</a>	
<a href="#">No:5A for RBS 175V</a>	Blower cover
<a href="#">No:5B for RBS 175V</a>	Blower cover
<a href="#">OIL LEVEL PLUG, 1/2", POS. 78</a>	
<a href="#">OIL PLUG, 1/2", POS. 77</a>	
<a href="#">OIL PLUG, 3/8", POS. 77</a>	
<a href="#">OIL SPLASH DISK, POS. 23 A/B, RBS 15-25</a>	
<a href="#">R150-500</a>	
<a href="#">R200-400</a>	
<a href="#">RB 100 D/V N3562</a>	
<a href="#">RBS 145-V</a>	
<a href="#">RBS 145-V</a>	Gebläsestufe
<a href="#">RBS 15-F</a>	
<a href="#">RBS 15-V (F)</a>	Blower
<a href="#">RBS 35-F</a>	Gebläsestufe
<a href="#">RBS 35-F</a>	RBS series bare blower 3 lobed
<a href="#">RBS 35-V netto Gewicht: 85.00 kg</a>	RBS blower speed 35-V with 3-lobe construction, helical and hardened gears and reinforced bearings provide a smooth running and long life.
<a href="#">RBS 45-F</a>	Blower
<a href="#">RBS 45-V</a>	Blover
<a href="#">RBS 46-F</a>	
<a href="#">RBS 65-V (F)</a>	
<a href="#">RBS 66-F</a>	Gebläsestufe
<a href="#">RBS 85/F</a>	(Rotors with shafts for RBS 85/F, Rotors with shafts, complete, Pos. 2 B/C, RBS 85, Weight: 95 kg, HS-No.: 84 14 90 00 Country of origin: Italy)
<a href="#">RBS 85-F</a>	BLOWER SN:09-09632 EXCE:4001
<a href="#">RBS 85-F</a>	
<a href="#">RBS 85-V (F)</a>	(Alternativ:10013 Blower RBS 85-V (F) netto Gewicht: 250,00 kg, with 3-lobe rotors, helical and hardened gear teeth. Reinforced bearings leading to a high engine smoothness and long product life.)
<a href="#">RBS-85F / 10109</a>	blower
<a href="#">RBS-86F / 10110</a>	blower
<a href="#">RKNS40-160</a>	Fostatation Pump 10
<a href="#">RKNS65-160</a>	Fostatation Pump 11
<a href="#">SEAL RING, VITON, POS. 43, RBS 15-25</a>	
<a href="#">SEALING CHAMBER, POS. 20, RBS 15-25</a>	
<a href="#">SELF LOCKING NUT, M16</a>	

Продукт	Описание
<a href="#">SET OF GEARS, COMPLETE POS. 11A/B RBS 15 - 25</a>	
<a href="#">SHAFT SLEEVE, POS. 37, RBS 15-25</a>	
<a href="#">SPF 50</a>	(Inlet Silencer SPF 50 for ROBOX 1)
<a href="#">SPF 65</a>	blowers
<a href="#">SYNTHETIK-OL, 1 LITER, ISO VG 220, 10-25</a>	
<a href="#">TEXROPE Z29</a>	BELT, V - , ROBUSCHI TO DRIVE GREASE PUMP VIA SHAFT – P/N.: TEXROPE Z29 TYPE :TEXROPE Z29 MAT. RUBBER WARP
<a href="#">VRC 150</a>	
<a href="#">VSM 100 TYP P</a>	
<a href="#">RBS 66-V Gebläsestufe mit 3-flügeligen Drehkolben</a>	
<a href="#">08-33637 for C RN-250-400 TM 01</a>	shaft seal
<a href="#">08-33638 for C RN-250-400 TM 01</a>	shaft seal
<a href="#">08-33639 for C RN-250-400 TM 01</a>	shaft seal
<a href="#">08-33640 for C RN-250-400 TM 01</a>	shaft seal
<a href="#">Robox ES 65/2P-RVP EVOLUTION</a>	
<a href="#">Motor TECO, BG160L, 18,5KW, 3000UPM, B3, IE3 (HS-No: 84 14 80 78 Country of origin: Italy)</a>	400/690V, 50Hz, IP55, ISO-F, Thermistors
<a href="#">RBX2ASK ROBOX-2 EVOLUTION</a>	ACOUSTIC CABINET
<a href="#">Sealing Chamber, Pos. 20, RB(S)70-86 (netto Gewicht: 0,50 kg)</a>	
<a href="#">Sealing Spacer, Pos. 25, RBS 75-86 (netto Gewicht: 0,40 kg)</a>	
<a href="#">Flexible Ring, Pos. 45, RB(S) 70-86 (netto Gewicht: 0,02 kg)</a>	
<a href="#">Vacuum fan for Pump Type: RMV 25 Ser No: 9504738</a>	
<a href="#">RBS 85-V</a>	Gebläsestufe
<a href="#">RBS 66-V</a>	Gebläsestufe
<a href="#">Pos. 16A, RBS 75-86</a>	Ölspritzscheibe
<a href="#">Pos. 20, RB(S) 70-86</a>	Kolbenringbuchse
<a href="#">RBS 105/F-UNI/ANSI</a>	OIL SPLASH DISK
<a href="#">3253100301-G126</a>	SEALING SPACER
<a href="#">1506300125-F126</a>	LOCK NUT
<a href="#">2077940100-N125</a>	Bearing
<a href="#">3256110100-F125</a>	INTERNAL RING
<a href="#">1891180954-C125</a>	SEAL RING KIT
<a href="#">3253090308-J127</a>	FLEXIBLE PISTON RING
<a href="#">2200241005-L126</a>	Gasket
<a href="#">2309610145-E125</a>	COMPENSATING RING
<a href="#">2012330145-D125</a>	COMPENSATING RING
<a href="#">2011510901-A128</a>	OIL FLINNING PLUG
<a href="#">2054010901-B128</a>	OIL DRAINING PLUG

Продукт	Описание
<a href="#">2057910901-N127</a>	OIL LEVEL PLUG
<a href="#">3198661204-P11</a>	OIL SPLASH DISK
<a href="#">3203150301-E12</a>	SEALING SPACER
<a href="#">3203160301-F12</a>	SEALING SPACER
<a href="#">1507000125-F12</a>	LOCK NUT GUP
<a href="#">2034020125-J12</a>	LOCK NUT GUK
<a href="#">1504000100-L11</a>	Bearing
<a href="#">3256280100-B11</a>	INTERNAL RING
<a href="#">1498300954-P10</a>	SEAL RING
<a href="#">1516600308-G13</a>	FLEXIBLE RING
<a href="#">2300951005-L12</a>	Gasket
<a href="#">1518900901-M13</a>	OIL FILLING PLUG
<a href="#">1519900901-P13</a>	OIL DRAINING PLUG
<a href="#">1519400901-N13</a>	OIL LEVEL PLUG
<a href="#">Pos. 23 A-C, RB(S) 70-86</a>	Ölspritzring
<a href="#">Pos. 25, RBS 75-86</a>	Kolbenringhalter
<a href="#">RBS 75-86</a>	Nutmutter,selbstsichernd
<a href="#">Pos. 31, RBS 75-86</a>	Lager
<a href="#">Pos. 32, RBS 75-86</a>	Lager
<a href="#">Pos. 33, RBS 75-86</a>	Lager
<a href="#">Pos. 37, RBS 75-86</a>	Wellenschutzhülse EGS
<a href="#">Pos. 43, RBS 75-86</a>	Dichtring, Viton
<a href="#">Pos. 45, RB(S) 70-86</a>	Kolbenring
<a href="#">Pos. 50, RB(LP/S) 70-86</a>	Flanschdichtung
<a href="#">Pos. 63A, RBS 75-86</a>	Federscheibe
<a href="#">Pos. 64, RBS 75-86</a>	Federscheibe
<a href="#">Pos. 76/77</a>	Ölschraube, 3/4"
<a href="#">Pos. 78/3855</a>	Ölstandsglas, 3/4"
<a href="#">Pos. 304, RBS 125</a>	Paßscheibe
<a href="#">Pos. 16A, RB(S-DV) 55-66</a>	Ölspritzscheibe
<a href="#">Pos. 20, RB(S-DV) 50-66</a>	Kolbenringbuchse
<a href="#">Pos. 23 A-C, RB(S-DV) 50-66</a>	Ölspritzring
<a href="#">Pos. 25, RB(S/DV) 50-66</a>	Kolbenringhalter
<a href="#">RVT 50/RB-LP 70-81/RB(S/DV) 50-65</a>	Nutmutter
<a href="#">Pos. 31, RBS 55-66</a>	Lager
<a href="#">Pos. 32, RB(S) 50-66</a>	Lager
<a href="#">Pos. 33, RBS 55-66/RB-LP 80</a>	Lager
<a href="#">Pos. 37, RB(S-DV) 55-66</a>	Wellenschutzhülse, EGS
<a href="#">Pos. 43, RB(S) 50-66</a>	Dichtring, Viton
<a href="#">Pos. 45, RVT/RB(S/DV) 50-66</a>	Kolbenring
<a href="#">Pos. 50, RB(S-DV) 50-65</a>	Flanschdichtung
<a href="#">Pos. 63A, RB(S-DV) 55-66/RB-LP 80</a>	Federscheibe
<a href="#">Pos. 64, RB(S-DV) 55-66</a>	Federscheibe
<a href="#">Pos. 77</a>	Ölschraube, 1/2"

Продукт	Описание
<a href="#">Pos. 78</a>	Ölstandsglas, 1/2"
<a href="#">Pos. 304</a>	Paßscheibe
<a href="#">RVS 25, Pos. 2/7</a>	Impeller with shaft
<a href="#">Pos.6, RVS 25</a>	Stage Casing
<a href="#">RVS 25/TM-CT-09</a>	Vacuum-Pump
<a href="#">RVS 25/TM-CT-06 für (BG180L)</a>	Flüssigkeitsring-Pumpe
<a href="#">RBS 65-F HT</a>	
<a href="#">RVS 40/ TM/CT-ex.09</a>	Naked liquid ring vacuum pump
<a href="#">EM-37kW-2K</a>	Electric motor
<a href="#">RBXEL3P-66</a>	
<a href="#">RBXEL3P-85</a>	
<a href="#">EM-45kW-2K</a>	Electric motor
<a href="#">12577 / RVS 30/TM-CT-06</a>	Vacuum-Pump with mechanical seal
<a href="#">10630 / RVS 30/TT-CT-06</a>	Vacuum-Pump with soft packing gland seal
<a href="#">RBS 75-F, DN 150</a>	Gebälsestufe
<a href="#">RBS 95-V (F)</a>	
<a href="#">RBS 75-V, DN 150</a>	Blower
<a href="#">Robox ES 75/3P-RVP EVOLUTION</a>	
<a href="#">MotP037ABB</a>	
<a href="#">RBS 75-V, DN 150</a>	Gebälsestufe
<a href="#">PN: 2B for RBS 175 V</a>	Spare part for blower (rotor+ shaft)
<a href="#">PN: 2C for RBS 175 V</a>	Spare part for blower (rotor+shaft)
<a href="#">PN: 5A for RBS 175 V</a>	Spare part for blower(cover)
<a href="#">PN: 5B for RBS 175 V</a>	Spare part for blower(cover)
<a href="#">PN: 11A for RBS 175 V</a>	Spare part for blower (driven gear)
<a href="#">PN: 11B for RBS 175 V</a>	Spare part for blower (driven gear)
<a href="#">PN: 2B for RBS 165 V</a>	Spare part for blower (rotor+shaft)
<a href="#">PN: 2C for RBS 165 V</a>	Spare part for blower (rotor + shaft)
<a href="#">PN: 5A for RBS 165 V</a>	Spare Part for blower (cover)
<a href="#">PN: 5B for RBS 165 V</a>	Spare part for blower (cover)
<a href="#">PN: 11A for RBS 165 V</a>	Spare part for blower (driven gear)
<a href="#">PN: 11B for RBS 165 V</a>	Spare part for blower (driven gear)
<a href="#">RB 50D1 SERIE 9400120-obsolete- replaced by RBS 55-V</a>	BLOWER
<a href="#">RBS 55-V</a>	Gebälsestufe
<a href="#">RBS 85-F</a>	
<a href="#">RBS 145/F-HT</a>	Fan
<a href="#">RBS 85/F-HT</a>	Fan
<a href="#">RN 80-250/TM</a>	
<a href="#">RBS 46/V</a>	Filter inlet Robox 2 (SPF 100)
<a href="#">10556</a>	Gummimuffe
<a href="#">10710</a>	Lubricating disk, Pos.16A, RBS 35-46
<a href="#">11317</a>	Lubricating disk, Pos. 16B, RBS 35-46
<a href="#">PN:319940-1203, Model:ES 35/2P,</a>	DISC,LUBRICATING
<a href="#">PN:313582-1203, Model:ES 35/2P</a>	disc, lubricating

Продукт	Описание
<a href="#">10663</a>	Seal ring
<a href="#">10663</a>	Dichtring
<a href="#">10662</a>	Shaft sleeve
<a href="#">10490</a>	Gasket
<a href="#">10481</a>	Sealing chamber
<a href="#">325085</a>	Sealing spacer
<a href="#">325086</a>	Sealing spacer
<a href="#">325084</a>	Piston ring
<a href="#">10761</a>	Oil splash disk
<a href="#">RVS 21/SG-09</a>	Flüssigkeitsring-Pumpe
<a href="#">RBS 15-F 10029</a>	Blower
<a href="#">10460</a>	Sealing Chamber
<a href="#">RBF 85/F</a>	Blower
<a href="#">Output Silencer for Blower Model: RBS 75</a>	
<a href="#">10701</a>	Lubricating disk
<a href="#">10702</a>	Lubricating disk
<a href="#">10461</a>	Oil splash disk
<a href="#">202210</a>	Self Locking Nut
<a href="#">10047</a>	Bearing
<a href="#">10415</a>	Bearing
<a href="#">12440</a>	Bearing
<a href="#">10328</a>	Shaft sleeve
<a href="#">10329</a>	Seal ring
<a href="#">10330</a>	Gasket
<a href="#">10392</a>	Oil plug
<a href="#">10393</a>	Oil plug
<a href="#">205051</a>	Oil level plug
<a href="#">10700</a>	Set of Gears complete
<a href="#">11031</a>	Synthetic-oil
<a href="#">RBS 135-V 10022</a>	
<a href="#">RVS 14/M ex.09</a>	Vacuum pump
<a href="#">RVS 14-YP ( 3178770305)</a>	
<a href="#">RVS 14-YP ( 3178860301-)</a>	
<a href="#">E50-250TM</a>	pump
<a href="#">Mechanical seal for Type E50-250TM</a>	
<a href="#">DN 300 11292</a>	
<a href="#">DN 200 10558</a>	
<a href="#">DN 200-300 11895</a>	
<a href="#">RBS 175-V</a>	Gebläsestufe
<a href="#">Gebläsestufe RBS 105-F</a>	
<a href="#">CRVS 25/TM/CR-09</a>	Flüssigkeitsring-Pumpe
<a href="#">Motor TECO, BG 180L, 22KW, 1500UPM, B3, IE3</a>	
<a href="#">11204 for RVS 16 with S/N: 09-01463</a>	

Продукт	Описание
<a href="#">CLU 250-2T-23 old, neu ES 35-65</a>	Fan assembly
<a href="#">Filter inlet Robox 2</a>	
<a href="#">Pressure gauge, 63mm, 0/1,6bar, liquid filled, rear connected</a>	
<a href="#">Synthetic-oil, 1,5 liter, ISO VG 220, (ES 35)</a>	
<a href="#">Pos. 45, RB(S) 95-106</a>	Piston ring
<a href="#">Pos. 33, RBS 95-106</a>	Bearing
<a href="#">Pos. 31, RBS 95-106</a>	Bearing
<a href="#">Pos. 43, RBS 95-106</a>	Seal ring
<a href="#">Pos. 37, RBS 95-106</a>	Shaft sleeve
<a href="#">Pos. 32, RBS 95-106</a>	Bearing
<a href="#">RBS 85-V 10013</a>	
<a href="#">ES 35-65</a>	
<a href="#">09-23148 Exec0024/RCS21/SG-24</a>	Vakuumpumpe
<a href="#">Blower RBS 65-F</a>	
<a href="#">RBS 65</a>	
<a href="#">RBS 125</a>	
<a href="#">RBS 135</a>	
<a href="#">RBS 140</a>	
<a href="#">RBS 160</a>	
<a href="#">Robox EL 55/2V EVOLUTION inklusive Motor 15 kW</a>	
<a href="#">23 A/B, RBS 160-175</a>	Oelspritzing
<a href="#">23 A/B , RBS 160-175</a>	Oelspritzing
<a href="#">23 C, RBS 160-170</a>	Oelspritzing
<a href="#">25, RBS 165-175</a>	Klobenringhalter
<a href="#">45, RBS 160-175</a>	Kolbenringhalter
<a href="#">RBS 55-F</a>	Gebläsestufe
<a href="#">WS 85/3P-1S</a>	
<a href="#">RBS 65-F</a>	
<a href="#">RBS 86/F</a>	
<a href="#">9607960</a>	
<a href="#">RBS 105-F</a>	Gebläsestufe
<a href="#">RBS 145-F</a>	Gebläsestufe
<a href="#">RBS 66-F</a>	Gebläsestufe
<a href="#">RBS 105-V</a>	Gebläsestufe
<a href="#">RB2070430000</a>	
<a href="#">RB2070440000</a>	Manometer
<a href="#">KRVS 17/SG/P-06 (BG132)</a>	Flüssigkeitsring-Pumpe
<a href="#">ABB, BG 132M, 7,5KW, 1500UPM, B3, IE3</a>	Motor
<a href="#">RBS 55-V</a>	Gebläsestufe
<a href="#">RB3229230105</a>	IMPELLER
<a href="#">RBS 35-45-46</a>	



Продукт	Описание
<a href="#">Impeller for RVS 21/SG-09</a>	spare for pump
<a href="#">Impeller for RVS 21/SG-02</a>	spare for pump
<a href="#">RBS-15 V</a>	Blower compressor
<a href="#">RBS 46-F</a>	Blower
<a href="#">RB3155281015</a>	
<a href="#">Belts for RBS 35/F</a>	
<a href="#">RBKO2774750000</a>	
<a href="#">Set of Gears, complete, Pos.11A/B, RBS 35</a>	
<a href="#">Set of Gears, complete, Pos.11B, RBS 35</a>	
<a href="#">Lubricating disk, Pos.16A, RBS 35-46</a>	
<a href="#">Lubricating disk, Pos.16B, RBS 35-46</a>	
<a href="#">Bearing lock disk, Pos.17, RBS 35</a>	
<a href="#">Sealing Chamber, Pos.20, RBS 35</a>	
<a href="#">Gear spacer, Pos.22, RBS 35</a>	
<a href="#">Oil splash disk, Pos.23A, RBS 35</a>	
<a href="#">Oil splash disk, Pos. 23B, RBS 35</a>	
<a href="#">Oil splash disk, Pos.23C, RBS 35</a>	
<a href="#">Sealing spacer, Pos.25, RBS 35</a>	
<a href="#">Bearing NJ 2208 ECJ, Pos.31, RBS 35</a>	
<a href="#">Bearing 6207.C3,Pos.32, RBS 35</a>	
<a href="#">Bearing 3207-A.C3,Pos.33, RBS 35</a>	
<a href="#">Lock nut, 30x1,5 GUP, Pos.26, RBS 35</a>	
<a href="#">Shaft sleeve, Pos.37, RBS 35</a>	
<a href="#">Seal ring, Viton, Pos.43,RBS 35</a>	
<a href="#">Flexible ring, Pos.45,RBS 35</a>	
<a href="#">Bearing cover, Pos.35, RBS 35</a>	
<a href="#">Comp.-ring,LMKAS-72B,Pos.63A, RBS 35</a>	
<a href="#">Comp.-ring, Pos.64, RBS 35</a>	
<a href="#">Gasket, Pos. 50, RBS 35</a>	
<a href="#">RB 110 / VB obsolete replaced by RBS 115-V</a>	ROTARY BLOWER
<a href="#">RB-LS 10/SP obsolete, replaced by 10005 RBS 15-V</a>	Pump
<a href="#">10005 RBS 15-V</a>	
<a href="#">RBS 66-F</a>	Gebläsestufe
<a href="#">RBS 115-V</a>	Gebläsestufe
<a href="#">Casing (Pos.1)</a>	Part for Water sealing type Vacuum pump
<a href="#">Impeller (Pos.2)</a>	Part for Water sealing type Vacuum pump
<a href="#">Shaft (Pos.7)</a>	Part for Water sealing type Vacuum pump
<a href="#">Plate (Pos.E8)</a>	Part for Water sealing type Vacuum pump
<a href="#">Bearing (Pos.31)</a>	Part for Water sealing type Vacuum pump
<a href="#">Bearing (Pos.32)</a>	Part for Water sealing type Vacuum pump

Продукт	Описание
<a href="#">Impeller cover (Pos.37)</a>	Part for Water sealing type Vacuum pump
<a href="#">Mechanical seal (Pos.41)</a>	Part for Water sealing type Vacuum pump
<a href="#">O-Ring (Pos.47)</a>	Part for Water sealing type Vacuum pump
<a href="#">Flexible Pin (Pos.68)</a>	Part for Water sealing type Vacuum pump
<a href="#">Plug (Pos.75A)</a>	Part for Water sealing type Vacuum pump
<a href="#">Plug (Pos.75C)</a>	Part for Water sealing type Vacuum pump
<a href="#">Plug (Pos.79)</a>	Part for Water sealing type Vacuum pump
<a href="#">Blower RBS 15-F</a>	
<a href="#">RBXES3P-75-500 mbar</a>	Complex Pressure Type Blower
<a href="#">RVS 21/SG-06</a>	Vacuum-Pump
<a href="#">RBXES3P-75-700 mbar</a>	Complex Pressure Type Blower
<a href="#">4200</a>	mechanical seal
<a href="#">Gebläsestufe RBS 46-V</a>	Blower
<a href="#">RVS 21/SG</a>	VACUUM PUMP
<a href="#">RBS_25/F</a>	
<a href="#">SN:04-02265</a>	
<a href="#">S 45/2P</a>	Gasket
<a href="#">KRVS 17/SG/-06</a>	vacuum pump
<a href="#">RVS 25 09</a>	Pump
<a href="#">RBS35/F</a>	BLOWER
<a href="#">3855</a>	PUMP
<a href="#">RBS 66/ F-UNI/AN</a>	BLOWER
<a href="#">150220-0100 3011</a>	Ball Bearing Stell
<a href="#">4555</a>	O-ring
<a href="#">4620</a>	O-ring
<a href="#">RBS 145</a>	Air compressor
<a href="#">Overhaul Kit For RBS 75/H-UNI/ANSI</a>	
<a href="#">Driven Rotor 2C for RBS 65/F, RB3263030305</a>	Driven Rotor 2C for blower
<a href="#">Driven Rotor 2C for RBS 55/F, RB3263010305</a>	Driven Rotor 2C for blower
<a href="#">Drive Rotor 2B for RBS 65/F, RB3263040305</a>	Drive Rotor 2B for blower
<a href="#">Drive Rotor 2B for RBS 55/F, RB3263020305</a>	Drive Rotor 2B for blower
<a href="#">Driven Rotor 2C for RBS 46/F, RB3176720108</a>	Driven Rotor 2C for blower
<a href="#">Drive Rotor 2B for RBS 46/F, RB3202440305</a>	Drive Rotor 2B for blower
<a href="#">RB1516600308</a>	FLEXIBLE PISTON RING
<a href="#">RVS-25-TM-CT</a>	pump
<a href="#">RB125V</a>	COMPLETE ASSY BLOWER
<a href="#">Sealing spacer for RBS 126 TMS SP</a>	Sealing spacer for blower
<a href="#">Impeller for RVS40 /SG-06</a>	Impeller for liquid ring compressor
<a href="#">Flange for RVS40 /SG-06</a>	Flange for liquid ring compressor
<a href="#">Shaft for RVS40 /SG-06</a>	Shaft for

Продукт	Описание
<a href="#">Non driven end plate for RVS40 /SG-06</a>	Non driven end plate for liquid ring compressor
<a href="#">Bearing bracket for RVS40 /SG-06</a>	Bearing bracket for liquid ring compressor
<a href="#">Lock nut for RVS40 /SG-06</a>	Lock nut for liquid ring compressor
<a href="#">Bearing cover pos. 34 for RVS40 /SG-06</a>	Bearing cover for liquid ring compressor
<a href="#">Bearing cover pos. 35 for RVS40 /SG-06</a>	Bearing cover pos. 35 for liquid ring compressor
<a href="#">Valve cover for RVS40 /SG-06</a>	Valve cover for liquid ring compressor
<a href="#">Circlip pos. 124 for RVS40 /SG-06</a>	Circlip pos. 124 for liquid ring compressor
<a href="#">Circlip pos. 125 for RVS40 /SG-06</a>	Circlip pos. 125 for liquid ring compressor
<a href="#">1111</a>	PUMP CASING
<a href="#">2200</a>	Impeller
<a href="#">Filter set for RBS 45 402 m3/sa 300mBar BLOWER</a>	
<a href="#">Filter set for RBS 25 180 m3/sa 500mBar BLOWER</a>	
<a href="#">filter set for RBS 35 304m3/sa 500mbar</a>	
<a href="#">Filter set RBS 46/F BLOWER</a>	
<a href="#">filter set for RBS 64/2 842 m3/sa 400 mbar BLOWER</a>	
<a href="#">filter set for RBS 65 823m3/sa 400mbar BLOWER</a>	
<a href="#">filter set for RBS 85/F BLOWER</a>	
<a href="#">RBS-45/F</a>	BLOWER
<a href="#">Oil ring 23A for RBS 175 Blower</a>	
<a href="#">Oil ring 23B for RBS 175 Blower</a>	
<a href="#">Oil ring 23C for RBS 175 Blower</a>	
<a href="#">Seal ring 25-25B for RBS 175 Blower</a>	
<a href="#">Segment 45 for RBS 175 Blower</a>	
<a href="#">RVS 40/TM-CT-09-SPEC</a>	
<a href="#">RVS 16/17/21</a>	spare part for pump-valve
<a href="#">RBS35LHBD</a>	Rotary piston blower
<a href="#">302RBS6010</a>	repair kit for Blower
<a href="#">7833985</a>	GAUGE
<a href="#">Position 47a-47b, 1983270954</a>	
<a href="#">Position 45, 1516100308</a>	
<a href="#">Position 11B, 3176730108</a>	
<a href="#">Position 11A, 3176720108</a>	
<a href="#">Position 40A, 1987930954</a>	
<a href="#">Position 47d, 1987940954</a>	
<a href="#">Position 47c, 1986650954</a>	
<a href="#">Position 26-27</a>	
<a href="#">Position 43, 2035021023</a>	
<a href="#">Position 21, 3298110107</a>	
<a href="#">Position 92, 1983790000</a>	

Продукт	Описание
<a href="#">Position 25. 32036711252</a>	
<a href="#">Position 26. 3005420125</a>	
<a href="#">Position 27A. 1505500125</a>	
<a href="#">318896</a>	5A COVER DRIVE SIDE
<a href="#">318897</a>	5B COVER DRIVE SIDE
<a href="#">318917</a>	20 SEALING CHAMBER
<a href="#">314150</a>	22 GEARS SPACER
<a href="#">220069</a>	23A OIL SPLASH DISK
<a href="#">220069</a>	23B OIL SPLASH DISK –DRIVE
<a href="#">220068</a>	23C OIL SPLASH DISK- DRIVE
<a href="#">318922</a>	25 SEALING SPACER
<a href="#">314049</a>	25B SEALING SPACER
<a href="#">300395</a>	45FLEXIBLE RING 145X 4X5.8
<a href="#">RVS 16/M</a>	Vacuum pump
<a href="#">Pos.2 -Working wheel for RVS 7/M</a>	
<a href="#">Pos.41 - mechanical seal for RVS 7/M</a>	
<a href="#">Pos.60 - Valve for RVS 7/M</a>	
<a href="#">RBS145/F</a>	Variable cooling air speed
<a href="#">BLOWER RBS 145/F GM315S4</a>	Cooling air fix speed
<a href="#">RBS115/F</a>	Lance cooling air
<a href="#">EL65/2P oboslete. replaced by RBS65LHBD</a>	
<a href="#">RB-DV-65</a>	FLEXIBLE RING for VACUUM BLOWER
<a href="#">RBS65LHBD</a>	
<a href="#">328049/WS3</a>	Filter
<a href="#">ES25/1P RVP50</a>	Tri-Lobe RPD Air Blower Package
<a href="#">ES25/1P RVP50</a>	Tri-Lobe RPD Air Blower Package
<a href="#">RBS 95/F</a>	Blower
<a href="#">RBS95LHBD</a>	