


Rototherm



Rototherm - производит товары высокого качества, и имеет безупречную репутацию. Благодаря тому, что наша компания напрямую сотрудничает с фирмой-производителем, Вы сможете быстро получить товар по самой низкой цене. Если нужного товара, нет в списке, сообщите нам, и мы поможем Вам его найти.

ТОВАРЫ БРЕНДА

Продукт	Описание
12/D/60/X	Chart Paper GC Clearscan 12", Cross Ref : 12/D/60/x, Description : Circle Chart 0-100 24 Hr
18309-SP0031,1260MM LG,5	
9/D/132/X	
9/W/137/X	
AM180	for Typ.: PT10W 1500-200V70 Antriebstyp: 1L220CF071/0,2KW/230V Kom.: 300031 Maschinen Nr.: 6694
BH345 + T/WELL	ANGLE PATTERN BIMETALLIC THERMOMETERS,DIAL DIAMETER:100mm; CASE MATERIAL: 304 STAINLESS STEEL;STEM DIAMETER:8mm,STEM LENGTH: 540 MM;TEMPERATURE RANGE:0 TO 50 DEG.C;CONNECTION:2"-150#-FF (316L)
BH345-A-8.0mm-500mm-0 to 100-C-X-1	Thermometer,bi-metal,0-100deg, 500mm long probe, analogue unit
CSTPP300-6WSMI-XOJCOC1/3/1/O36F-2S091D-2S091E	3PEN ,SUPPLIED WITH 100 CHARTS
FREQUENCY INVERTER FOR MOTOR (SPEED CONTROL)	for Typ.: PT10W 1500-200V70 Antriebstyp: 1L220CF071/0,2KW/230V Kom.: 300031 Maschinen Nr.: 6694
FW4505 (blue)	Disposable Pen Cartridge for Recorder 9057
FW4505 (red)	Disposable Pen Cartridge for Recorder 9057
HEAT WHEEL	for Typ.: PT10W 1500-200V70 Antriebstyp: 1L220CF071/0,2KW/230V Kom.: 300031 Maschinen Nr.: 6694
IND PRESS 810-500-8345 K5974 504/5	
MODEL:DG1 TX VN 0-10BAR 11 RANGE: 0 TO 10 BAR ABSOLUTE S/N:668022-8-4	Pressure transmitter DIGI GAGE
RP010/5/C/2/1/D/0-10.000KPA	
RP010/5/C/2/1/D/0-6000KPA	
RTPO200-6W0EL-NOOC5C1/10/4/I305F-2S562D	Temperature & Pressure Recorder , equal, 24 hrs. electrical drive clock, 10 meter capillary tube, connection 1/2" BSPT, c/w spare pens and chart papers. Range : 0-60 psi, 0-150 degree C,
SENTINEL RECORDER CONTROLLER - SINGLE PEN (SEN10)	Sentinel Chart Recorder / Recorder Controller
SENTINEL RECORDER CONTROLLER - TWO PEN (SEN20)	Pen 1 Input RTD PT100, Pen 2 Input DC Current 4-20mA, Pen 1 Unit of Measure Celsius, Pen 2 Pressure Bar Chart Number 9/D/137/X
SPG100	

Продукт	Описание
V-BELT	for Typ.: PT10W 1500-200V70 Antriebstyp: 1L220CF071/0,2KW/230V Kom.: 300031 Maschinen Nr.: 6694
V-BELT PULLEY	for Typ.: PT10W 1500-200V70 Antriebstyp: 1L220CF071/0,2KW/230V Kom.: 300031 Maschinen Nr.: 6694
WESG-03600	1 DigiTemp Tx Transmitter
23988/11	Pens 23988/11 (Blue) Packs of 3
Obsolete C105 replaced by RPO100	single-pen pressure recorder
Pt100	Embedded type thermal resistance
Pt100 φ3mm×32mm×3000mm	
Pt100 φ3mm×14mm×3000mm	
Y98228.1261	temperature indicator, cooling water inlet
61A12-B-2C	temp sensor
61A12-B-4C	thermometers
CSTP200-6WSQI-NOJC0C1/3/1/O150F-2C061D	
MX-5141N	Wärmerückgewinner
CSP100-6SSMK-2S051A	Clearscan Chart Recorder
Obsolete no direct replacement DG1 TX VN	Pressure Transmitter Digi Gage
DOCUMENTATION PACKAGE for CSP100-6SSMK-2S051A	
724.PZ.5141.27.1101	Pressure Switch EEXD
78BT-B1141-27 -12/50 NPT replaced by 78B.T.3141.12/050/NPT	Temp switch
78B.T.3141.12/050/NPT	SWITCH
PENCIL FOR 9/D 4482/X S/N:817418-1-2	Part For Manometer
EA 23984/11	RECORDER ARM (LOWER)
EA 23988/11	DISPOSABLE PEN (BLUE)
EA 23989/11	DISPOSABLE PEN
DT2SCC23-A001.0-CH0200/0055-04CTX	DigiTemp Thermometer
CSTP200-6SSMI-NOJC1C1/3/2/O275F-2C552A	Clearscan Chart Recorder
RPO100	
BH246-4-G-C3-C-C-0360-X-X-R	Bimet Thermometer
BH246.	
RPG100, 0-6 Kg/cm2	
355.P.8134.81.1503	
755.P.8144.61.1503	
MSRO-SM1-020D-00667x0006/N0.0/2306/8409	
Dokumentation and Certification	
CSTP200	
754.P.5441.13.2503	Pressure switch
1056	6" dial wall mounted RTD's

Продукт	Описание
SPG100	"ELITE" Stainless steel cased pressure gauge
Manifold SS 316	
PT 14S3200-200B70	WRG Motor
842-1/5	
842-2/5	
842-3/5	
Cal Trols For 0106048	
747.PZ.7141.15.7508	PRESSURE SWITCH
CSP100 (Model: CSP100-6SSMI-2C552D)	Pressure Recorder
RTO80	Temperature & Pressure Recorder
RTPO200	Temperature & Pressure Recorder
CERTIFICATE OF CONFORMITY	
RPG 100 - REPLACED BY	
SPG10012BG0RGO161BBP1B4L	Pressure Gauge
SPG10012BG0RGO161BBP1B4L	
BH226-4-G-C9-C-F-0360-X-X-R	