

Stahl



Мы поставляем полную линейку продукции и запчастей компании Stahl предприятиям по всей Украине, благодаря нашей дистрибьюторской сети по всему миру. Ниже приведен список продуктов марки Stahl.

Если нужного товара, нет в списке, сообщите нам код или модель и мы поможем Вам его найти. Для запроса цен и сроков поставки, пожалуйста, заполните форму обратной связи или пришлите описание необходимых Вам наименований на электронный адрес info@otec-industry.com.ua

Благодаря тому, что наша компания напрямую сотрудничает с многими производителями, Вы сможете быстро получить товар по самой низкой цене.

ТОВАРЫ БРЕНДА

Продукт	Описание
111768 SEALING RING 16X1,5 RUBBER	
111771 SEALING RING M25X1,5 RUBBER	
114205 SPECIAL KEY, SIZE M25 WIDTH ACR. FLATS 29MM	
114207 SPECIAL KEY, SIZE M16 WIDTH ACR. FLATS 20MM	
130176 8030/51-035	
134698 8125/1061-2	
137051 8146/1051 TERMINAL BOX EX E	
137051 . 8146/1051 TERMINAL BOX EX E	
138382 BLANKING PLUGS F. CABLE GLANDS M25.....25PCS	
138383 NUT M16 BRASS NICKEL PLATED 50PCS	
138395 NUT M25 BRASS NICKEL PLATED 50PCS	
138406 BLANKING PLUGS F. CABLE GLANDS PG9 /M16.....50PCS	
138474 8161/5-M25-96	
138772 8163/2-20-A2F- M20 CABLE GLAND	
143524 8290/3-M25 STOPPING PLUG M25X1,5	

Продукт	Описание
143554 8290/3-M16 STOPPING PLUG M16X1,5	
143707 REDUCTION EXPLOSION-PROTECTED TYPE : 8295/1R1-M25X1,5 M20X1,5	
150577	
211124	
212333	
4.0 V; 3.2 W; BA 15D	
6000/521-8011-3130 , replacement 6001/522-9010-15-131	
6000/542-9011-0130	
6000/561-8511-0150	
6148/1111-111	
6600/522-8010-2230	
6600/542-8010-2230	
7570/12-306	
8003/141-726-2-R	
8030/51-033	
8030/51-033	
8040/11	Control Equipment
8040/114-O2MN1-UL	Control device
8040/114-O2MN1-UL	
8040/114-Y100-UL	Befehls- und Meldegeraet
8040/1170X-10L07BA05	
8040/1180X-03L24BA05	
8040/1180X-10L07BA08	
8040/1380X-54C06XXXX-23D01BA05-09XXXBA05 - alternative	
8040/1390X-23D01SA05-09XXXSA05	
8125/1063-1 (134701)	Terminal box Ex e
8125/1051-2	
8125/1073-2	
8125/1083-2	
8146/.052	
8146/5083	
8570/11-304	
8570/12-306	Stecker
8571/11-506	
8571/12-506	
151103	
8579/31-506	
8602A0010-1-S	
158356	

Продукт	Описание
9118/11-11-10 MAX VOL.:8.7 V MAX. CUR.:0.4 MA MAX. POW.:11MW POWER SUPP.:24 VDC	
9170/10-12-21S replaced by 9170/11-12-21s	REPEATER
9175/20-16-11	
9250/01-60 - OBSOLETE, FOLLOWING MODEL 9170/10-12-21S	
9411/21-210-41	Feldbustchnik ISbus
9440/12-01-11(162242)	
9440/15-01-11-C1198	CPU & power module
9440/22-01-11(162227)	
9440/15-01-11-C1243 (162201)	Remote I/O IS1
9460/12-08-11	
9460/12-08-11(168660)	
9461/12-08-11(168665)	
9465/12-08-11(168668)	
168682 Type 9470/22-16-11	
9470/22-16-11	
9470/22-16-11(168682)	
9475/12-04-21(168734)	
9475/12-08-51(168687)	
9475/12-08-61	
9475/12-08-61(168688)	
9477/12-08-12(162627)	
9477/15-08-12(168694)	
9490002670	
9490012670	
PTB01 ATEX 1001	
PTB01 ATEX 1129	
229893	Floodlight explosion-protected 6121/1322-2401-1111-111-511-1
230045	Impact protection grid with accessories
224997	Mounting bracket for 6121/1
Circuit breaker for motor R.STAHL Type: 8527/22--11--0201	
ConSig 8040 Type: 8040/2380Z-- 54C06XXX--31F...F..	Control Station Equipped with: -3-position switch 8008; -white LED indicator 8010; -10.8-30VDC/AC with green cap
8008-1178	3 position switch
8010-02-WS	white diode indicator
155.382	10.8-30VDC/AC with green cap
6121/1322-2401-1111-111-511-1	Floodlight explosion-protected



Продукт	Описание
ESband PU 11 for STAHL K66/4 Hart size 2390 mm.(endless) width 20 mm	belt
Hotronix auto open clam 38 x 38 cm (Heat Press)	
6050/1121-11510-000-1 (118360)	Pendant light fitting
00 501 069/2	LANS WINCH
351020003 C-3	Profile
Typ: CF-211010004	
MT-208-Tx-W00-DC-GL	Operator panel
MT-65-RS422-MPI	Operator panel
HSG-MT-65-V4A	Housing / Enclosure
6000/222-4011-no longer available	
6000/542-alternative: 6000/542-9011-0130 and 6000/542-9511-0150	
8064/21-330-30-163	Micro limit switch, explosion-protected
8064/21-330-30-163, obsolete no replacement	Micro limit switch
6000/542-9511-0150	Light fitting for fluorescent lamps explosion-protected
236504	
236528	
236527	
202152	
104170	
103929	
104195	
239822	
202153	
104164	
6001/522-9510-15-131 / 220897	Linear luminaire for fluorescent lamps explosion-protected
6149/2-3211-5010	Inspection light LED explosion-protected
Type 6141/61-16	Hand lamp explosion-protected
6149/2-3411-5010	Inspection light LED explosion-protected
6121/5312-640-11	Floodlight explosion-protected
8146/1000-C923	Terminal box Ex e explosion-protected
AEAB-0002-7000	Bezel for indicating light (red)
AEAB-0002-6000	Bezel for indicating light (green)
1632030640	Supply Of Clutch for STAHL Crane
8064/21-120-30-000 obsolete	Micro limit switch explosion-protected
8040/11	CONTROL AND SIGNAL STATIONion
CONTROL STATION SET	
734/160-016	SELECTOR SWITCH
8008/2-163	CONTROL SWITCH
8006/3-056-00	MOTOR AND LOAD SWITCH

Продукт	Описание
8006/3-004-00	MOTOR AND LOAD SWITCH
8040/1280-726	Control and signalling station
8040/12	Control and signal station
8602802160AB	HANDLE, ROTARY
8146606660	ISOLATOR,LOAD BREAK
8008/2-1149	CONTROL SWITCH
8166/11-01-NE	
HUB, NPT 1/2" 8166/11-01-NE m	
8570/12-306	Plug
6000/522-9011-0130 114847	Light fitting for fluorescent lamps
Typ 8118/121-805 (133114)	Junction box Ex e
8161/7-M25-1710 (239173)	Cable Glands
Type : 8118/121-805 (133114)	Junction Boxes
6000/521-8011-3130 (114779)	Light fitting for fluorescent lamps
115719	Mounting rail accessories
6000/522-9011-0130	Light fitting for fluorescent lamps
6000/522-9511-0150 (114888)	Light fitting for fluorescent lamps
8146/1000-C923 (136158)	Terminal box Ex e
6000/522-9511-0150 (114888)	Light fitting for fluorescent lamps
8146/2061 (137061)	Terminal box Ex i
8146/2061	Terminal box Ex i
6042/943-21 replaced by 6042/243-21	
6042/923-21 obsolete, replacement 6042/243- 21	
Type: 8040/1180X- 26M01XA05	Control device system
Type: 8040/1280X- 01L13BA05-01L08BA05 (Art.Nr.130692)	Control device system
8040/1180X-23D01BA05	Control device system
8040/1180X-10L07BA08	Control device system
Type : 8146/5041- STW25A/-20- +50°C	Temperature controller
Type: 9182/10-51-12s	ISpac Temperature Transmitter
8161/7-M25-1707	Cable Gland
Type: 8118/121-807	Junction box Ex e
Type: 8118/121-805	Junction box Ex e
Type: 8030/51-033	Installation Switch
Type: 8040/2380X- 31E02GF23	Control device system

Продукт	Описание
Type: 8510/112-07-109-021	Time Relay
8579/31-506	
Type: 8562/52-2..0-...	Residual current
Type: 8579/12-506	Plug
128250	Control Switches
155463	
8030/51-036 obsolete, repaced by 8040/1180Z-32E99XF19	key
8040/1180Z-32E99XF19	
8146/5051	
Type: 9182/10-51-12 (160549)	Temperaturmessumformer
8570/12-506	plug
8163/2-20S-A2F-M20	Kabeleinführung
8292/12-BS-M20x1,5	Verschlussstopfen
8060/1-1-AR	Positionsschalter
Model: 8570/11-306	plug
8010/2-01	LED Leuchtmelder
126667	Stecker
6400/542, replaced by 6401/542-8508-1511	
8030/51-033 Obsolete!! Replaced by 8040/11-V30-033-B	Installationsschalter
8040/13	
6401/542-8508-1511	Langfeldleuchte
8579/12-506	
8579/12-507	Stecker
130929	
150578	Schaltersteckdose
6042/243-21 (1 package -- 10 pcs)	
6042/943-21	
150579	Stecker
155940	
9440/15-01-11-C1243	CPU und Power Modul
8150/1-0236-0176-091-3311	Terminal box Ex e
8591/481-10-3000	miniClix Plug Connector type 8591
8591/471-10-3002	Ex Plug Connector miniCLIX Series 8591
9185/12-45-10s	Fieldbus Isolating Repeater
Ord.nr:8040/1180X-10L07BA05	Mushroom Stay-put Button
8146/5041-3A	SWITCH,LOCAL HAND,8146/5041-3A,R-STAHL
9002/13-200-093-001	electric protection
9185/11-35-10s	Fieldbus Isolating repeater
9350/10-11/10 obsolete no repl	Switching repeater
8010/3-02-WS	LED Indicator Lamp

Продукт	Описание
8602A0054-1-rt	Indicating lamp bezel
8602A0054-1-ge	Indicating lamp bezel
8602A0054-1-gn	Indicating lamp bezel
8602A0054-1-BI	Lenses for LED Indicator Lamp
8602A0054-1-ws	Indicating lamp bezel
9160/13-10-11	ISOLATOR
8146/5052/C7961 - obsolete replaced by 8146/5052-C796	
8146/5052-C796	
8074/1-1-S	
8040/1180.08M.AW	
Ballast Kit for 6042/923-21	Ballast Kit
6147/2-2	Hand lamp Wire guard galv
8560/51-4252	Fuse Links
6000/522/9008	
6042/742-2 Obsolete!! Replaced by 6000 1/2x36W 6042/2 1xDC 230V	Ballast
8118/222-199	Therminal box Exi
YL50/D50/R/RF/UL	
YL50/D50/R/RF/UL	
8040/114-02MN1-UL	
M16x1.5 4-9 Ex 8161/5-M16-9 obsolete, replaced by 8161/7-M16-0902	Gear cable gland
SWH5302-063 ex	
8161/7-M16-0902	Cable gland
3-9182/10-51-11S	Temperature Transmitter
11 09 05	
8040/1180X-09XXXBA05	
I/O IS1 9460/12-08-11	Analog input module
8064/21 PTB 02 ATEX 1031 X	Cable
M25 x 1.5	screw
STH 2209-00	
2-8162/1-25-1ZM	
I/O IS1+ 9468/32-08-11	
8060/2-1-D-60	POSITION SWITCH
8060/1-2-F	
8060/1-1-V obsolete, replaced by 8060/2-1-DS-60	
9440/22-01-11-C1243	
GE-S17.5.06 10025867	Gear Limit Switch
8080/1-2	
9182/10-51-11s	

Продукт	Описание
PN-8415/24-L-9 obsolete alternative 8013/311-AI	Green traffic sign
PN-8415/24-R-9 obsolete alternative 8013/311-AI	Signalman red
9465/12-08-11	
9575/12-08-61 not exist	
8013/311-AI	
MAN: KITO NOECP313 AC1 NOECP313 AC1	Motor
SH40129333L3	REDUCER
MF10X106H189P85017D	MOTOR
Ex-proof 8146/5041 - not available, alternative 8146/5061	Control Unit
8040/1180X-10L07BA05 Ex-proof obsolete, replacement 8040/1180.010-060	Emergency Stop Button Command Box
8040/114-U016	LOCAL PUSH BOTTOM FOR FIELD MOUNTING
8040/114-U018	LOCAL PUSH BOTTOM FOR FIELD MOUNTING
8040/114-U100	LOCAL PUSH BOTTOM FOR FIELD MOUNTING
8082	PUSH BOTOM FOR CONTROL ROOM
8082.	THREE-POSITION SELECTOR FOR CONTROL ROOM
8040/1180.010-060	
8040/1180X-10L07BA05	
8146/5061	
8146/5061	Control box Type
8003/2	Emergency Stop Button
252215	Notlichtleuchte für Leuchtstofflampen
ROPE GUIDE For:SH 4012-9-3/3-3L3	
PTB 97 ATEX 1076 U	electronic ballast
10794591 044	button
8010/2-01-ws	LED Indica.lamp Ex de -20°C
9001/01-252-060-141	safety barrier
9440/12-01-11 - obsolete, replaced by 9440/22-01-11-C1243 CPM DPV1 Z1	CPU / power supply
532 - 09601003	Ball bearing grease
8570/15-306	
8570/12-306	
502 Ex	
CBE 404015	Distribution Box
252215	Notlichtleuchte für Leuchtstofflampen
9440/22-01-11-C1243 (162218)	Remote I/O IS1
108951	Zweistift-Leuchtstoffl. T8 36W/840
115826	Erdungsplatte Einschubplatte
222459	Rohrschelle
8570/12-306	Plug

Продукт	Описание
8084/1-1 obsolete, no replacement.	Switch
269835	Befehlsgeräte explosionsgeschützt
217918	Befehlsgeräte explosionsgeschützt
Type 8562/52-5030-010, Art N: 149824	Circuit breaker
132338	Positionsschalter aus Metall - explosionsgeschützt
227750	Tastenschild
125773	Positionsschalter explosionsgeschützt
131253	Positionsschalter explosionsgeschützt
130679	Befehlsgerätesystem
223692	Drucktaster
8064/21-133-30-246 obsolete no replacement	2 CONTACTS SPDT LIMIT SWITCH Ex de
8013/311-a1 (129095)	LED Leuchtmelder für Schalttafeleinbau explosionsg
8013/311-a1	LED Leuchtmelder für Schalttafeleinbau explosions
8013/311-a1	Explosion-Proof Signal Lamp
8003/111-001 (126993)	Befehlsgeräte explosionsgeschützt
8003/111-001	Befehlsgeräte explosionsgeschützt
Typ : 8602 (155721)	Tastenschild
Typ : 8602 (155615)	
7070/1-1-ZB	
8040/1180X-10L07SA05 (130679)	Command devices system
8040/124-U011-UL	Befehls- und Meldegeraet
9170/21-12-21s / 203281	Schaltverstärker
8003/111-010 old code, new code 8003/111-010S	atex Emergency Stop NC/NO
8064/21 obsolete, no replacement	Limit Swich
7570/12-306	Stecker
8003/111-010S	
Typ : 8040/11-V30-033-S	Installationsschalter Ausschalter
Typ : 6001/542-9513-25-131	Langfeldleuchte für Leuchtstofflampen
Typ : 6001/522-9513-25-131	Langfeldleuchte für Leuchtstofflampen
8125/5073.2A	
8146/5073	
8561/02-12	Sicherungselement explosionsgeschützt
8405/2-0.02/0.04-SH 4012-20 4/1 12	Dreheisen-Strommesser direktmessend
SLE21	
9118/12-11-10 obsolete replaced by 9165/16-11-10s	Galvanic Isolator
9150/20-11-10 obsolete replaced by 9170/21-11-11s	Galvanic Isolator

Продукт	Описание
131818	Adjustable roller lever
132530	1NC+1NO snap action contact,with spring
131847	Position switch
8118/122	limit switch
8523/81-14-107	
9165/16-11-10s	
9170/21-11-11s	Schaltverstärker
8548.2.006.000 144/006	Motor Switch
Art. Nr. 132988 , type 8102/21-31	Abzweigdose Ex e
8548/2	
Cable For SWH5302-063 ex	
6009/542-9017-2622-81	
8405/2-0,02/0,04-. (8402A)	
8040/1390X-23D01SA05-09XXXSA05	
8455/4-4,7kOhm-0/100	Potentiometer für Schalttafeleinbau
8455/4-4,7kOhm-0/10	Potentiometer für Schalttafeleinbau
YL5	Alarm
6149/2-3211- 5010	LED Inspektionsleuchte explosionsgeschützt
9170/11-12-21s	
9170	
218552	
218553	
8537/2-703-7001 replaced by 8146/5-V37-304-50-1010	Safety Switch 25A
6149/2-3211-5011	LED Inspektionsleuchte explosionsgeschützt
6042/243-21 obsolete	
8146/5-V37-304-50-1010	Sicherheitsschalter
6000/552-9011-0130 obsolete, no replacement	
8008/2-038	Steuerschalter explosionsgeschützt
8008/2-027	Steuerschalter
8146/5-V37-301-50-1090-9	Sicherheitsschalter
8146/5-V37-605-51-1090-K	Sicherheitsschalter
8146/5-V37-308-51-1090-K	Sicherheitsschalter
8146/5-V37-304-50-1090-9	Sicherheitsschalter
8146/5-V37-604-60-1090-9	Sicherheitsschalter
8146/5-V37-305-51-1090-K	Sicherheitsschalter
8146/5-V37-306-51-1090-K	Sicherheitsschalter

Продукт	Описание
6042 / 943 - 21 obsolete, replaced by 6042/243-21	Balast
9468/33-08-10	Analog Universal Modul HART
9477/15-08-12	Digital Output Modul Relais
9103/13-22-11 obsolete, replaced by 9160/13-11- 10s	Single-Channel Safety Barriers
9160/13-11-10s	Messumformerspeisegerät
9440/15-01-11-C1243	
6001/542-9510-15-131	
8040/1280.001+I/GN- 060.001+0/RT-060 EEX ED IIC T6 IP66 correspond 8040/1280X- 01L13SA02-01L08SA01	EX LOCAL CONTROL BOX
8040/1280X-01L13SA02- 01L08SA01	
8040/13	Befehlsgerätesystem
8570/12-304	
8602A0001-1	
8510/122-03-336-210	
8510/141-03-60-...0	
8510/122-03-436-210	
8510/122-05-235-120	
8510/112-07-109-011	
8510/141-03-604-210	
8510/141-03-606-210	
8510/131-02-103-224	
8523/81-09-107	Leistungsschalter für den Motorschutz
130954	
8571/12-506	
8570/11-306	
8570/11- 306	
8082/1-1-00	Kontaktelement
168882	Halterung für Kontakte 2fach
8570/12-306.	Stecker
1432400220 3117773	TAMPON EN EPOUGE POUR ST10 STAHL
131868 , type 8070/1-3- ZB	Sicherheitspositionsschalter
8040/1180Z-26M01SA35	SELECTOR SWITCH
8431/1-8	Heater Controller
120438	Schutzglas
8040/13 PTB 01ATEX1105 250/1 A	Circuit breaker
8040/13 PTB 01ATEX1105 5/1 A	Circuit breaker
8040/13 PTB 01ATEX1105 100/1 A	Circuit breaker
8040/13 PTB 01ATEX1105 50/1 A	Circuit breaker

Продукт	Описание
32 320 00 57 0	
ST 0502-8/2 2/1	
8082/1-1-00 (132636)	
131288	Positionsschalter explosionsgeschützt
6014/7122-8011-1230 obsolete	Ex armature
6121/1312-2251-1111- 311-513-1	Scheinwerfer explosionsgeschützt
7MC3060-1PC20	PYROMETER
8064/21-110-30-000 Obsolete, no replacement	micro limit switch
249239	Leistungsschalter für den Motorschutz
8040/1180X-15L07SA05	
117596 Obsolete!! Replaced by 258199 (6042/243-21)	
6042/943-2 Obsolete!! Replaced by 6042/243- 21	
258199 (6042/243-21)	
8018/3113-al-6 (129769)	
8102/21-32	
155525	Drucktaster
155689	
155914	
8064/21 obsolete	
8562/52-2010-060	Leitungsschutzschalter
8562/54-2050-160	Fehlerstrom Leitungsschutzschalter
8562/54-2070-200	
8562/54-2070-060	
8562/54-2070-320	
8510/132-09-S50	
8510/141-03-11-030	
8510/141-03-11-040	
8510/111-09-S05	
8082/1-1-00	Kontaktelement
Bv.930 obsolete	Relay
8118/121-805	
8118/131-814	
8161/7-M12-0603	
8161/7-M16-0905	
8161/7-M20-1307	
8161/7-M25-1710	
8161/7-M32-2113	
222363	Dichtring
222364	Dichtring
222365	Dichtring
222366	Dichtring

Продукт	Описание
241519	
241520	
241561	
241562	
8290/3-M16	
8290/3-M20	
8290/3-M25	
8290/3-M32	
8570/12- 306	
DXN6-2564017	
8003/111-726-2-r	
8003/111-001	
8003/111-001	
8003/111-010 Red obsolete, replacement 8003/111-010S	Mushroom push button
155897	Tastenschild
155901	Tastenschild
1147798/010 obsolete, replacement 205191	
8040/1380-731-OF-0-ON-160+38 old code, new code 8040/1180Z-31G99SF20	
8040/ 1380-740-086/40/80A old code, new code 8040/1280Z-40XXXXN99	
8040/1180Z-31G99SF20	
8040/1280Z-40XXXXN99	
8543/2 Obsolete!! Replaced by 8544/1-41	
8562/53-3040-160 (215052)	
205191	
210794	Befestigungsset Zubehör
8544/1-41 (167240)	
131303 Obsolete!! Replaced by 8060/2-3-D-60	Limit switch
8060/2-3-D-60	
131303	Limit switch
8060/1-3-R Obsolete!! Replaced by 8060/2-3-D-60	Limit switch
8060/2-3-D- 60	
9172/21-11-00s	
6042/243-21 (pack 10 pcs.)	
8040/1280.001	

Продукт	Описание
6147 (socle E27) Obsolete, no replacement	HAND LAMP
8040/1180X-15L07SA05	
8571/12-506	Plug
8571/11-506	POWER POINT
8060/1-1-R Obsolete!! Replaced by 8060/2-1-D-60	
8060/1-1-R Obsolete!! Replaced by 8060/2-1-D-60	POSITION SWITCH
8060/2-1-D-60.	
8102/21-32-C995	
8161/7-M20-1304	
8040/11-V30-033-B	
8040/11-V30-033-B.	
8579/31-406	Heavy Duty Weatherproof Interlocking Switch
6000 1/2x36W 6042/2 1xDC 230V	
Ballast Kit for 6042 923 21	
Ballast Kit for EVG 2X18W	
6042/243-21 (VPE = 10pcs)	
EEX 8118/121	
8068/6 obsolete	Switch
9170/10-14-11, replaced by 9270/11-19-15s	
9270/11-19-15s	
8040/1280X-01L13SA05- 01L08SA05 (130692)	Befehlsgerätesystem
8602C3-010-B	
8602C3-010-B	
8146/5-V27-208-065-12- 2	Leistungsschalter für den Motorschutz explosionsgeschützt
6001/522-9010-15-131	
P/n.: 227598 Type 9185/11-35-10s	
8060-1-2-AR - obsolete, replaced by 8060/2-2-WH-60	
8060/2-2-WH-60 / 254884	Positionsschalter
FD40IS/3/X/R/B/C obsolete no replacement	
9001/01-280-085-101	Ein-Kanal-Sicherheitsbarrieren
201647	
6043/771-204	
6043/792-201	
7570/11-306	

Продукт	Описание
9440/12-01-11-C1243, obsolete replaced by 9440/22-01-11-C1243	
P/n. 162218 Type 9440/22-01-11-C1243	
114847 6000/522-9011-0130 no longer produced, replacement 220898 6001/522-9010-15-131	
6001/522-9010-15-131	Linear luminaire for fluorescent lamp GRP (flameproof protection)
8523/81-09-000	Circuit-Breaker for Motor Protection
8008/2-038	Control switch
9411/21-210-31	BARRIER
9182/20-51-11s	
9194/50-01	
9191/VS-05	
9194/31-17	
9004/51-206-050-001	
9001/01-280-020-101	
14 320 01 59 0	CROCHET DE PALAN ELECTRIQUE
8070/1-2-AR obsolete, replacement 8070/2-2-WH-U60	
8070/2-2-WH-U60	Positionsschalter explosionsgeschützt
8060/2-1-DS-60	Position switch explosion Proof
6401/522-8508-15-131	
6402/1182-0200-251	
8074/2-1-WH-40	
8602A0054-1-bl	Indicating lamp bezel
9143/10-156-160-10, correct code 9143/10-156-160-10s	power source
9143/10-156-160-10s	
8602C3-754	push button
8602C3-756	mushroom stay-put button
8602C3-734-S-45H-E08	
6042/943-22 obsolete	
9440/12-01-11, obsolete replaced by 9440/22-01-11-C1243	
9440/15-01-11, obsolete replaced by 9440/15-01-11-C1243	
8800-001-7+8082/1-2	PUSH BUTTON
8040/1380+1280-A	LOCAL CONTROL STATION
8571/21-507 (150918)	socket
8571/22-507 (150919)	socket
8040/114-Y100-UL (224395)	
8118/121-806 (133120)	

Продукт	Описание
9162/13-11-14s (238251)	Transmitter supply unit
9146/10-11-12s (159883)	Frequency transmitter
9191/20-00-50s (165683)	Termination module
8146/1083	
8146/2083	
MF11X-006	LIFT MOTOR HOIST SWF 10 TON
162707, Typ : 9490/11-12	Socket für CPU & Power Modul
269658	
155834	
155842	
155852	
8003/111-726-2-r (269816)	
245161	
155905	BLANK LABEL WITHOUT TEXT
8602A0756 obsolete, replacement 8602C3-756	ASSEMBLY, LOCK FITMENT, FOR STOP PUSH BUTTON IN LCS
8602A0010-1-S	
8602C3-756	
YA60/C/D/EU (205191)	
9002/13-199-225-001 (158921)	INTRINSICALLY SAFETY BARRIERS UNOMINAL
9002/11-199-030-001 (158929)	INTRINSICALLY SAFETY BARRIERS UNOMINAL
9176/10-16-00s	
8040/1380X-54C06SA70-23D01SA05-09XXXSA05 (130903)	CONTROL DEVICE SYSTEM
800 302 0	ECLISSE CHARGE:625KG OUVERTE B1:16MM
1000 KGST 1005-12/3 2/1	
9162/13-11-14s	
9146/10-11-12s	
9191/20-00-50s	ISpac
8082/1-1-00	
8166/11-03-NE	
8082/1-2-00	
9002/00-280-186-001 (158845)	Zwei-Kanal-Sicherheitsbarriere
9175	
9182	
8562	VALVES ACTUATOR
9170/10-11-11s	
9160/13-11-11s	
9175/20-16-11s	
9170/11-11-11s	

Продукт	Описание
258330	
9162/13-11-14	
9146/10-11-12	
9191/20-00-50	
8013/24-20-5	
8013/24-20-9 and 8013/24-20-9	
11016850	
8013/313-al-6	indicator lights
9170/10-14-11s	supply unit
9160/13-11-10s	
8040/129 - C150	
8040/124-C150-UL	
8040/1260-R5A	Regler/Controller
8146/5041-STW25A (136081)	
Part Number:8040/129 - C150	EMERGENCY PUSHBUTTON STATION, WITH 2NC CONTACTS
8060/2-3-DS-60	switch
258328	
8146/5-V27-207-095-12- 2	
8602A0751	
8074/1-1-HR312 (10782E00) alternative 8074/2-1-DL-40 8074/2-1-DL-40	Metal Body Position Switch
01644E0G 8003 PTB 01 ATEX 1129U	
019116	
106073	
106074	
108951	
108952	
109133	
114779	
114779 6000/521-8011- 3130	
114847	
115738	
115806	
115819	
115828	
117252	
117590	
119173	
119829	
119844	
119848	
119849	



Продукт	Описание
120431 / 6147/2-2	
121700	
123291	
124632 6600/522-8010-2230 Obsolete!! Replaced by 6401	
124633: 6600/521-8510-2150	
124643 6600/542-8010-2230	
124643 6600/542-8010-2230	
124894	
124910	
127244	
129095 8013/311-al	
130171	
130171 8030/51-033	
130176	
130679	
130692	
130899	
132530	
132636	
132640	
132973	
133128	
136126	
136678 8146/5041	
138382	
138383	
138389	
138394	
138395	
138406	
138417	
138454	
138482	
138520 8161/5-M25-17	
143544 8290/3-M25	
143556 8290/3-M16	
145280	
145285	
150579	
155399	
155476	
155785	
155908	
160321 / 9170/10-12-21S	

Продукт	Описание
160321 9170/10-12-21S	
167080: 6608/522-9611-7267	
168554	
168555	
1739084219	
201386 8579/31-506	
201386 8579/31-506	
201389 (TYPE : 8579/31-406)	Switch socket explosion-protected
201404 8146/5-V37-302-50-0050 SPARE OF TYPE : 8537/2-302-7000; 8537/2-702-7000	
201404 8146/5-V37-302-50-0050 SPARE OF TYPE : 8537/2-302-7000; 8537/2-702-7000	
203478	
203970	
204142	
205208	
205308	
205315	
205336	
211124	
212333	
224398 8040/114-O2MN1-UL	
6000 801440	
6000 802260	
6000/521-8011-3130	
6000/522-9011-0130	18W EXPROOF
6000/542- 9011-0130 / 114863	
6000/542-9391-013	
6014 VB	
6041/42	
6121/5312-640-01 / 119414	
6142	
6142/21	
6148/1111-111	
6149/2-5211-5010	LED Inspektionsleuchte explosionsgeschützt
6161/2-11-621-0	
6600/542-8011-2230	
6600/542-8011-2230 (2X18)	
669982	

Продукт	Описание
80 130 01 21 0 - OBSOLETE (REPLACED BY 8013/311-AL)	
80 130 02 21 0 - OBSOLETE (REPLACED BY 8013/311-AL)	
80 130 03 21 0 - OBSOLETE (REPLACED BY 8013/311-AL)	
8003/111-009	
8003/111-010	
8003/111-015	
8003/131--001	
8010/2-01	
8013/22-02-43	
8013/22-02-93 REPLACED BY 129095 8013/311-a1	
(129095) 8013/311-AL	
8013/321-AL	
8040/1180X-09XXXBA05 - obsolete-replaced by 8040/1190X-09XXXBA05	Control device system Series ConSig 8040 explosion-protected
8040/1180X-10L07BA08. 8040/12	
8040/1380X- 54C06XXXX- 01L13BA05- 01L08BA05	
8040/2380Z- 54C06XXXX- 31E...F..	
80400019	
8064/21-330- 30-163	
8070/1-1-HR311	Positionsschalter
8070/1-1-S	Positionsschalter explosionsgeschützt
8102/21-31	Junction box Ex
8102/22-31	
8118/121-805 / 133114	
8118/131-814	
8118/222	Junction Boxes
8125/5051-2	
8146/.081	
8146/1S71	
8146/1S71-3D- 1TS35+32U- N 32 terminal	
8146/2073	



Продукт	Описание
136703	Control stationType : 8146/5061Technical data:Gas - Explosion protection: Ex II 2 G Ex de IIC T6 GbDust - Explosion protection: Ex II 2 D Ex tb IIIC T80°C Db IP66Certificate ATEX: PTB 01 ATEX 1024Certificate IECEx: IECEx PTB 06.0090Material: Polyester resinDimension: 170 x 227 x 91 mmDegree of protection: IP 66Ambient temperature: -20° C ... +40° CRated voltage: 230 V / 50 HzRated current: 6 AControl voltage: V / HzWiring diagram: Without wiringAlso certified to: on request1 pc(s) rotary actuator bk 64mm not lockableLabel 8602 ø51, engravablelabelling: OFF-Auto-Handcontrol switch 4-pole switch. options 1171 pc(s) bezel 72x72 for measuring instrumentdirekt meas. ammeter 72 x 72 mm 4- 20/40mA0-20A1 pc(s) earth terminal USLKG 5
8146/5073	
8146/5-602-5002	
8161/5-M20-13	
8163/1-20-E1FW-M20	
8415/24-A-9 (OBSOLETE REPLACED BY 8013/321- AL)	
8415/24-G-9 (OBSOLETE REPLACED BY 8013/321- AL)	
8415/24-R-9 (OBSOLETE REPLACED BY 8013/321- AL)	
8415/24-W-9 (OBSOLETE REPLACED BY 8013/321-AL)	
8491/11-230	
8493/11-21-6	
8537/2-703-7000	
8560/51--4061	
8560/51-4222	
150578	
8570/11-406	
8570/11-406	
8570/11-506	Schaltersteckdose explosionsgeschützt
8570/12-306	
8570/12-306 PLUG 2P+PE 16A 200-250V, 60+60HZ, 6H, BLUE	
Art. Nr. 150551 , type 8570/12-406	Stecker explosionsgeschützt
8570/12-406	
8575/12-100	
8602A0726-1-3-rr-V	
8602 1126 EEXELL PTB 01 ATEX 1129U LCIE 03ATEX0025U	
8602/3	Pushbutton
8602 STOP	
8602A0727 1-2-R-V	
8703-PUSH BUTTON ASSEMBLY (OBSOLETE REPLACED BY 8602)	

Продукт	Описание
8703-PUSH BUTTON ASSEMBLY. (OBSOLETE REPLACED BY 8602)	
9001/01-168-020-101 (158555)	
9118/11-11-10 - OBSOLETE (REPLACED BY 9118/11-11-10)	
9160/13-11-11S	
9160/13-11-11S	
9160/13-11-11S	
9164/13-22-08	
9165/16-11-10S	
9165/16-11-11s	Trennübertrager
9170/10-11-11S	
9170/10-11-11S	
9170/10-12-21s	
9170/20-12-11S	
9176/20-12-00S	
9182/10-51-11S	
9185/11-35-10	
9194/50-01	
9460/12-08-11	
9465/12-08-11	
9466/12-08-11	
9475/12-08-61	
9475/22-08-51	
9480/12-08-11	
ART.NR.321000	
ART.NR.331021	
B/2 F11/101.211 650/2550 KW 0.06/0.025 AMPER 0.7/0.9	
Box EEx e, T5, C side M20x1.5 6 pcs. / D M25h1.5 1pc. M20x1.5 2 pcs.	
C-LUX 6108 VB	
D40S5-23AGV	
EXLUX 6008 VB	
HF-7200	
Membrane / Sticker "PUSH"	
PART NO: PTB01 ATEX 1001	
PART NO: PTB01 ATEX 1129	
PRESS-GUNS FOR SVM280 CARTRIDGE SYSTEM	
PUSH BUTTON CONTROL BOX 1739084219	

Продукт	Описание
ST 37-2K	
SVM 280	
TEX 303016-S1	
9001/01-168-075-101	
9002/22-032-300-111	R.STAHL Safety barrier
153029 (Type 8579/12-406)	Plug explosion-protected
8070/1-1-НН-К	Positionsschalter
8570/11-306	Schaltersteckdose
9575/12-08-61 not exist	
9575/12-08-61	
8146/1051	
8161/5-M40-28	
8161/5-M25-17	
8161/5-M50-35	
Art. Nr. 150495 , type 8570/12-506	Stecker explosionsgeschützt
6401	
8562/52-5030-060	Leitungsschutzschalter
8560/51-4222 (Box= 5 pcs.)	Klein-Sicherungselement
9001/01-280-075-101	