

Starrett



Starrett - производит товары высокого качества, и имеет безупречную репутацию. Благодаря тому, что наша компания напрямую сотрудничает с фирмой-производителем, Вы сможете быстро получить товар по самой низкой цене. Если нужного товара, нет в списке, сообщите нам, и мы поможем Вам его найти.

ТОВАРЫ БРЕНДА

Продукт	Описание
#5612 EDP NO: 81822	
1017M-100	
12" DEPTH DIGIMATIC CALIPER DOUBLE HOOK	
1202-6	CALIPER,0-6IN,GRADUATION .001IN,CASE
120AM-150	CALIPER,0-150MM,GRADUATION 0.02MM,CASE
120MZ-300	CALIPER,0-300MM,GRADUATION 0.02MM,CASE
120Z-12	CALIPER,DIAL,0-12IN,GRADUATION .001IN
123MZ-600	CALIPER,VERNIER,0-600MM,CASE,STARRETT
1251MEA-20/500	
1251MEA-40/1000	
18C	centering punch
196B1	
208MZ	
25-11J - PLEASE GIVE MORE DETAILS	
25-131J	Dial Indicator ((Messuhr)
25-161J	
25-181J	
25-341J	
25-441J	Meßuhr
25-481	
25-5081 J (2 - 12 MM + 12-25 MM)	
25-881	
25-881J	
25MSB	
25SB	
25SC14	
25SC38	
25SC38B	
25SC8M	

Продукт	Описание
2600-8 no longer available	Electronic Indicator
269MA TAPER GAGE 2-12MM RANGE, 64MM LENGTH, 10 LEAVES	
269MB	
269MB TAPER GAGE 12-25MM RANGE, 70MM LENGTH, 13 LEAVES	
270	TAPER GAGE
270_51292:270	
270 (0.3-4.0 MM)	
2900-2	
3732XFL-1	
3732XFL-2	
3808A	
3809MA	
3810A	Digital Portable Hardness Tester
3811A	Portable Hardness Tester
436.1MRL-25	{Bügelmeßschraube. 0mm-25mm range, Grad. 0,01mm, Ratched Stop, Lock Nut (EDP.-No.68048)}
436.1MRL-50	[Bügelmeßschraube. 25mm-50mm range, Grad. 0,01mm, Ratched Stop, Lock Nut,(EDP-Nr.68052)]
448Z-612	
450-12	12" Depth Dial With Hook
450-6	GAGE,DEPTH,DIAL,0-6IN,0.001IN GRAD
450M-300	GAGE,DEPTH,DIAL,0-300MM,0.02MM GRAD
507	
566 DUAL-VEE MAGNETIC V-BLOCK	
566 MAGNETIC V-BLOCK	
576MXR	ROUND ANVIL MIC - LP
643JZ	Starrett Dial Depth Gage
655-2081	
655-341J	AGD Dial Indicator
657-2	MAG BASE & UNI HOLDER
6577	MAGNETIC BASE W/POST ASSEMBLY MAGNETIC BASE W/POST ASSEMBLY
657AA obsolete, replaced by 3657AA	
657EZ	BASE&POST ASSY& DIAL IND
657T	MAGNETIC BASE
659AZ	

Продукт	Описание
667-1/2 Fühlerlehre 12" länge/ 0.0005 " höhe (EDP-No. 64209)	667-1/2 Fühlerlehre 12"
670A	
670B	indicator hole attachment
708BCZ	
709MALCZ	
749BZ-12RL	GAGE,DEPTH,MICROMETER,ELECTRONIC,0-12IN
78MXTZ -150	
798B-6/150	ELETRONIC CALİPER
799A-12/300	CALİPER,DİGİTAL,0-12IN (300MM),STARRETT
799A-6/150	CALİPER,DİGİTAL,0-6IN (150MM),STARRETT
799A-6/150	
799A-8/200	
799A-8/200	
7E100	
81-141J	DIAL INDICATOR, 0 - 50,0 - 0.250 In DIAL INDICATOR, 0-50,0 -0.250 In.
81-181	
81-181J	[Meßbereich: 2,5mm,Ablesung: 0,01mm Skala 0-50-0(EDP-Nr.53412)]
819	hinge-locating
882AZ	
883-MAZ	
884AZ	
885-MAZ	
92522-12-00-1/4	Carbide tipped blade 12 ¼" x 1 ¼" x 0.050 x 2-3/p type III
92522-13-11	Tungsten carbide tipped 167 (13'11") length x 1 ¼ wide x 0.050" thick 2-3/p tooth pitch type III
950-70000000 (QC 200)	optical measuring device
A2 QUICK HITCH	Arbor w/pilot drill
AG16R	
AM2	
AM2	Angle Meter, Magnetic Base, 0-90 Deg
ANGLE METER MAGNETIC BASE	
C359DZ	
C507MDB-15 EDP 61956	oil-gaging measuring tapes
C604R-12	STEEL RULE, SPRING TEMPERED, 12IN, 4R GR STEEL RULE, SPRING TEMPERED, 12IN, 4R GR
C604R-36	STEEL RULE, SPRING TEMPERED, 36IN STEEL RULE, SPRING TEMPERED, 36IN
C604R-6	STEEL RULE, SPRING TEMPERED, 6IN, 4R GRA STEEL RULE, SPRING TEMPERED, 6IN, 4R GR.
D0218	
EDP67182 DISCONTINUED, REPLACEMENT SR100 OR SR200	
F2730-0	

Продукт	Описание
GRANITE PARALLEL	
HE 400-SR120	profile projectors
KALIBRIERUNG KOSTEN SLC PRO CALIPER	
MICROMETERS (SET) INNER DIAMETER METRIC BORE GAUGE SET (6-10MM -250-450MM)	
MICROMETERS (SET) OUTER DIAMETER 224 SERIES SET	
NO. 167	
NO. 167 SERIES1/64"-1/2"	
NO.270 EDP NO.51292	
Nr. 270 Taper GaugesStarrett Feinmeßzeuge	
NR. 270 TAPER GAUGESSTARRETT FEINMEßZEUGE	270 B 6mm
OP 12.1	
P/NU 696	
PN:16R 6" VE 12"	
PN:16R 12 (UNCLEAR)	
PN:16R 6 (UNCLEAR)	
PT22428	
PT22429	
PT26007	
QA 722	(QA722 SR221e QC200 Series - Digital electronic readout for both linear (X and Y) axes and angular screen rotation (Q axis). Fitted with full geometric function 6" LCD digital readout console metric/inch convertible with 0.001mm/0.00005" resolution, reset/ preset facilities, USB, serial and parallel ports, 200 capacity feature store, large programme memory, workstage deflection compensation and user selectable language dialogue.including auto edge sensing facility. Price)
QA 800	(QA800 Convertor Adaptor Kit - If replacing a digital readout with 9 pin round connector sockets with a current digital readout model which has 15 pin 'D' connector sockets.)
QA254 box for VF 600-obsolete,replaced by QA 722+QA 800	projector
RS2406-8	POWER HACKSAW BLADE
S154LZ	Adjustable Parallels Set, 3/8" - 2-1/4" Range
S154SZ	(Adjustable Parallels S154SZ Set of 4 Parallels Size A,B,C,D - in Case (EDP-No 50584))
S167CZ	

Продукт	Описание
S167MC-GIBT ES NICHT!! ERSETZT DURCH "S167MCZ"	Radius Gage Set
S167MCHZ	
S167MCZ	RADIUS GAUGE SET
S229GZ	
S234MG	outside micrometer standards only set of eleven Standards 25mm 50mm 75mm 100mm 125mm 150mm 175mm 200mm 225mm 250mm 275mm 300mm Starrett
S264WB	Punch
S2S 112.MA1 square steel metric system/set	
S3732CXFLZ	
S668DZ	
S78MXT CZ	
S78MXT DZ	
S78MXT FZ	
S829EZ	Lochlehren
SAW BLADES FOR(ST1101)	
SH0258	67mm hole saw
FCH1116	
SM 19	STAINLESS PUNCH
SM 22	
SM27	
SM 38	STAINLESS PUNCH
SM16	
SM16	PLUG HOLE SAW ended 16MM MRC DETAILS: NAME: PLUG HOLE SAW ended TEXT: Nominal Diameter: 16 mm # ONE PIECE TOGETHER with tungsten carbide-tipped pilot drill steel in # tips # CUTTING SOURCE The depth: 13 mm
SM22	
SM22	
SM25	
SM25	PLUG HOLE SAW 25MM ended MRC DETAILS: NAME: PLUG HOLE UCLA TEXT: Nominal Diameter: 25 mm # ONE PIECE DRILL WITH CENTERING from BERABERTUNGS carbide-tipped # tips # STEEL WELD CUTTING DEPTH: 13 MM
SR100.	
SR200	
TM701	meter Includes the details, calibration magnetic field, measurement probe, calibration of tesla meter and magnetic polatiry checker.
TS21.R	
735-01000000	vertikaler Tischprojektor XY Anzeige
VB 400 SR 120	
VB 400 SR 120	profile projectors
VB 400 SR 220	
VB 400 SR 220E	
VF 600	
VF 600 SR 120	
VF 600 SR 220	
VF 600 SR 220E	

Продукт	Описание
VF600 + QA722 + 6P008	VF600/Turret/QuadraChek 200e (With edge)
W/196B5	Alignment Clamp Set Indicator
W-1225BS 1188X14P MAKITECH WHEEL CONVEYOR	
W-1225BS 20X50X6 MAKITECH WHEEL CONVEYOR	
C507MDB-20M, obsoelte, alternative is BM.509024025	Manual measuring tape.
S154LZ (9/32" (7mm) Adjustable Parallels - 6 Parallels Size: A, B, C, D, E, F - in Case)	Adjustable Parallel Set
98-4 Level Starrett Wasserwaage 4" inch, 100 mm, without cross test vial (EPD- No. 50440) (98-4)	Starrett Wasserwaage, 100mm
196, 0.001"	Dial gauge
51 mm punch	Punch
C14-3ME12 OBSOLETE	
AM2	Winkelmesser, Angle Meter with magnetic, base. (EDP-No 36080)
780XTZ-500	Micrometer
780XTZ-1	Micrometer
780XTZ-625	Micrometer
780XTZ-312	Micrometer
780XTZ-375	Micrometer
780XTZ-750	Micrometer
436XRLZ-13	Micrometer
436XRLZ-14	Micrometer
436XRLZ-15	Micrometer
513-404E	INDICATOR
513-415E	INDICATOR
EDP 50005	Cutting plier with blades adjustable
720-01000000	Horizontaler-Tisch-Projektor
436XRLZ-17	
720-02000000	Horizontaler-Tisch-Projektor
735-02000000	vertikaler Tischprojektor mit Geometriemessrechner
AC11A Gage block acc. Kit	Gage Block Accessory Kit
SS81.A1 gage block set	Gage Block Set

Продукт	Описание
S2CS112MA1 gage block set	Gage Block Set
RBC49 referans bar	Referans Bar (EDP NO: 92630)
RS-303-51	
VS-303-51	magnetic floats and switches, the complete switch
818	Automatic centre punches
PT01932-1	
Profile360	Measurement Device
PT01932-1	
C507MDB-20 W/515 MD BOB OBSOLETE	Oil Gaging Length
S1101-2 1470x0.5x10/14 TPI	
98-4	98-4 Level Starrett Wasserwaage
S4000-060	
124BZ	
AV300	Video-Messsystem
575CP	
9ME-300	
S898Z-2	Indicator Inspection Kit
S436.1CXRLZ	Mic Set with Stds
823CZ	Tubular mic in case
657D	Magnetic Base
RS200 - OBSOLETE	Surface Roughness Tester
RS300 - OBSOLETE	Surface Roughness Tester
RS400 - OBSOLETE	Surface Roughness Tester
199Z	Master Precision Level
199Z	Master Level
98-8	98-8 Level Starrett Wasserwaage
98-12	98-12 Level Starrett Wasserwaage
S770XTBZ	electronic internal micrometer set
199Z	
98-8	
98-12	
Oklare/Linse für HF600	Oklare/Linse
5905MZ obsolete, no replacement	Caliper
C607R-6	Stahlmaßstäbe
RBC 49	
S831EZ	Lochlehren
S830FZ	Small Hole Gage
25-611J	Dial Indicator
EC799-6/150	Digital Compass
EC799-8/200	Digital Compass

Продукт	Описание
EC799-12/300	Digital Compass
799AZ-24/600	Digital Compass
3732XFL-1(0-1")	Digital Micrometer
795.1MRXL-25	Digital Micrometer
795.1MRXL-50	Digital Micrometer
795.1MRXL-75	Digital Micrometer
795.1MRXL-100	Digital Micrometer
786P-1(0-1")	ELECTRONIC BLADE MICROMETER
25-511J	Dial Indicator
PT06632-7	
798A-6/150	caliper 6" digital
270	
25-881J AGD2	
270 Taper Gauges	Feinmeßzeuge
81-141J	
460MB	
40" 1251MEA-40/1000	FINE ADJUST ANALOG CALIPER
799AZ-40/1000	Electronic vernier caliper
172A EDP 50649 0015"-015"	Mastar Block
66 EDP 50314 0015"-025"	Mastar Block
66B EDP 57097 0015"-035"	Mastar Block
467 EDP 52464 0,0015"-0,200"	mastar block
SA100 obsolete no replacement	
123Z-48	Vernier Caliper // Messschieber
154A	154A Adjustable Parallels / Justierbare
154B	154B Adjustable Parallels / Justierbare
154C	154C Adjustable Parallels / Justierbare
154D	154D Adjustable Parallels / Justierbare
154E	154E Adjustable Parallels / Justierbare
154F	154F Adjustable Parallels / Justierbare
AM2	Winkelmesser
VB400	
270	
FCH0258	Bimetall Lochsäge
FCH0138	Bimetall Lochsäge
FCH0116	hole saw
FCH0100	Bimetall Lochsäge
FCH0078	Bimetall Lochsäge
magnification lens	
QC100 Series	
816B	
D0512	Lochsäge bestückt mit Diamantstaub
211B	Waterless Surface Plate Cleaner
2900-5-1	Digital Indicator

Продукт	Описание
21675A22	Master Spirit Level
491ME-300	
666-4	
666-6	
666-8	
666-11	
666-2	
666-3	
666-1	
S436MEXRLZ	
666-1 1/2	
FMS2500	Force Measurement Test System
FMS-2500 -L2	Force Measurement System
50192	
3089M-181-50J	
3089M-181-160J	
3089M-181-250J	
SV226MBXRLZ	
S436MDXRLZ	
823MEZ	
120MZ-225	
120MZ-300	
811-MCZ	
18C	
674-2	
25-231J	
173 MAT	TAPER THICKNESS GAUGE
443Z-3RL	DEPTH MICROMETER
SM34	
196 A1Z	Dial Indicator in case
3753A-8/200	electronic Depth Gage
F2730AD	
25-611J	
C635-150	STEEL RULE
84AZ-111-7J	
C434M-300	
S816PC	
124MBZ	
124MDZ	
659AZ	
83A-6	
79A-8	
79A-12	
73A-6	
73A-12	
BS1024-BGT	BLADE
BM.509024025 (1 pcs -25 m)	
98-6	

Продукт	Описание
696MZ	STRAIN GAUGE IN CASE
674-2	Mounting bracket
18A	
798-6/150 (12521)	
117D (50486)	
C305R-6 (51347)	
C305R-12 (51348)	
-51348	12",5R GRAD FULL-FLEXIBLE
733XFL-1 (64239)	
1025-5	
196A1Z	
643JZ	
66T	
RS1804-7	
C507MDB-10M obsolete, no replacement	Oil Gaging Length
25-2041J	Dial Indicator
3657AA	Magnetic Base
C251C	
S565WB (Set 8 Punches)	
18718	
81-211J	Dial Indicator
STR-37020	
505A-12	
PT99356	
PT06632 Nr.7	
S668DZ	
263P-38	micrometer
207Z	
643	
643J	Starrett Dial Depth Gage
25-131	
VF600 + QA721 + 6Y023	
0LN23	X10 Lens
0LN24	X20 Lens
0LN26	X50 Lens
6N011	
154A	
34076	
657AA	MAG BASE & UNI HOLDER
657AA	
467	Thickness Gauge
196A6Z	Dial Indicator in case
657A	MAGNETIC BASE
657C	BASE + DIAL TEST IND

Продукт	Описание
657CZ	BASE + DIAL TEST IND
657MCZ	657MCZ MAG BASE IND HOLDER
657E	INDICATOR SWIVEL POST
657G	UPRIGHT BASE POST
657H	SWIVEL POST SNUG
657P	MAGNETIC BASE ONLY
657S	UNIVERSAL SLEEVE
657TW	BASE + FINE ADJ ATTACH
657W	FINE ADJUSTMENT ATTACH
657X	1/4 DIA ROD
657Y	INDICATOR ATTACHMENT
657-1	MAG B&IND HDR&BJ ARM&FA
657-3	ARM ASSEMBLY
657-1	MAG B&IND HDR&BJ ARM&FA
SH0116 old P/N, new: FCH0116	
SH0114 old P/N, new: FCH0114	
FCH0114	Hole saw
3811A	Hardness Tester
A014C	Pickup holder pilot drill
448Z-12	Depth Gauge