

# Stemmann



Stemmann - производит товары высокого качества, и имеет безупречную репутацию. Благодаря тому, что наша компания напрямую сотрудничает с фирмой-производителем, Вы сможете быстро получить товар по самой низкой цене. Если нужного товара, нет в списке, сообщите нам, и мы поможем Вам его найти.

## ТОВАРЫ БРЕНДА

Продукт	Описание
<a href="#">021660202</a>	For Rail; Model: P25
<a href="#">021660203</a>	For Rail; Model: P25
<a href="#">100421</a>	Cooper Head Steel Conductor Bar F20/100 H=37.2mm, b=12mm, with base paint bar length - 7m
<a href="#">100921</a>	Cooper Head Steel Conductor Bar F35/200,H=40.5mm, b=17mm, with base paint bar length - 7m
<a href="#">111016</a>	LEITUNGSHALTESTRUMPF TYP T-15
<a href="#">111017</a>	Cable stocking
<a href="#">111975</a>	SPRING CABLE DRUM,Included Complete cable and Socks,Cable to be wound: 12x1, 5mm <sup>2</sup> (Trommelflex PR-HF) Work Type: Vertical Cable Length: 20m Drum Inner Diameter: 280mm
<a href="#">119010</a>	
<a href="#">119155</a>	The cable drum tumblers
<a href="#">119999</a>	AUFLEGEN UND ANSCHLIESSEN
<a href="#">19361420BA-BAKO 07</a>	
<a href="#">20 A</a>	
<a href="#">20 A.</a>	
<a href="#">5020001</a>	Rigid Splice Clamp in Brass for F20 Bar Type SK35
<a href="#">5020002</a>	Rigid Splice Clamp in Brass for F35 Bar Type SK35
<a href="#">5020087</a>	Feeder Clamp for F20/100 Bar Type AKD 20/100
<a href="#">5020089</a>	Feeder Clamp for F35/30-200 Bar Type AKD 35/30-200
<a href="#">5030105</a>	Plate insulator with bayonette bar holder, standing Js
<a href="#">5040113</a>	CURRENT COLLECTOR, CURRENT CAPACITY : 1000A, SPRING RANGE : 80
<a href="#">5050115 ( 310 )</a>	current receiver
<a href="#">5200317 ( 310 )</a>	
<a href="#">P25/50-100 -5200326</a>	
<a href="#">5200396 ( 310 )</a>	
<a href="#">5200668</a>	
<a href="#">5200669</a>	
<a href="#">5202475 ( 310 )</a>	
<a href="#">5202479 ( 310 )</a>	
<a href="#">5202605 ( 310 )</a>	
<a href="#">6699</a>	LEIT. TROMMELFLEX PUR-HF 12x1,5 mm <sup>2</sup>
<a href="#">7910146, SCL 4POL.40 A</a>	Receiving current car

Продукт	Описание
<a href="#">7910298 GLEITKONTAKT SCL SET 4 + 5 POL BZ 40 AMP</a>	Set für einen Stromabnehmer (Kohle inkl.)
<a href="#">8010006 ( 310 )</a>	
<a href="#">BAK018</a>	cable winding
<a href="#">GK13E-02</a>	Servicing Valve
<a href="#">KONTAKTKOHL E P25/200 A</a>	cooler-200A,busbar for cranes-P25
<a href="#">LIMIT SWITCH FOR GK13E-02</a>	Limit switch for GK13E-02 Servicing valve
<a href="#">MP 297 876 72 044 ONLY AS SET 7910298 AVAILABLE</a>	Brush, Size 24mm x 7mm
<a href="#">SCREWS ON DANGEROUS VOLTAGE RECIPIENTS</a>	
<a href="#">SRK389.6.31Ä00</a>	
<a href="#">TLF 190 19361420BA-BAKO 07</a>	
<a href="#">BAUART 19331420DA-2504 Cable reel with spring drive</a>	
<a href="#">BAUART 28431810HA-2512 Cable reel with spring drive according to drawing 3 KF 212/1 AE01</a>	
<a href="#">FRK54/25-8 Rings</a>	ROTARY CONTACT STEMmANN UA21500061
<a href="#">KFKS 80/1000A PHASE (5040113)</a>	STROMABNEHMER
<a href="#">KFKS 80/1000A ERDE (5040114)</a>	STROMABNEHMER
<a href="#">28501822EA-BA09 OBSOLETE, replaced by LTTR FED TLF 280 N.ZG.3KF212/1Ä01</a>	SPRING WIRE winding drum
<a href="#">LTTR FED TLF 280 N.ZG.3KF212/1Ä01</a>	
<a href="#">23483</a>	
<a href="#">LTTR FED TLF 280 N.ZG.3KF212/1Ä01</a>	
<a href="#">6716</a>	LEITUNG TROMMELFLEX PUR-HF
<a href="#">LTTR FED TLF 400 N.ZG. 3KF213/1Ä00</a>	Leitungstrommel mit Federantrieb nach Zeichnung 3
<a href="#">25/100C-52000393</a>	Bar phase
<a href="#">25/50C-52000316</a>	
<a href="#">52000326</a>	HANGER BAR CLAMP
<a href="#">52000317</a>	Fittings
<a href="#">52000396</a>	POWER SUPPLY
<a href="#">52000668</a>	RECEIVER CURRENT PHASE
<a href="#">52000669</a>	CURRENT RECEIVER
<a href="#">1507187</a>	CURRENT CABLE RECEIVER
<a href="#">1507186</a>	CURRENT CABLE RECEIVER
<a href="#">111213</a>	STARRE LAGERUNG FÜR FEDERLEITUNGSTROMMEL
<a href="#">111205</a>	LEITARM MIT ROLLENMUNDSTÜCK
<a href="#">111300</a>	GUMMIANSCHLAG ZUR ENDBEGRENZUNG
<a href="#">SICL40 PSW-M300</a>	BRUSH BAR CURRENT RECEIVER
<a href="#">SICL40</a>	BAR expands the CASING
<a href="#">CRL-1/2 (52671)</a>	CABLE CARRIER
<a href="#">TYPE: 6253117</a>	
<a href="#">TYPE: 6253506</a>	
<a href="#">Art. Nr. 101211, type F 45/100</a>	CU-ST-STROMSCH.
<a href="#">Art. Nr. 101111, type F 45/ 50</a>	CU-ST-STROMSCH.

<b>Продукт</b>	<b>Описание</b>
<a href="#">Art. Nr. 5030027, type FXL 45 WEISS</a>	ISOLATOR
<a href="#">Art. Nr. 5030028 , type FXL 45 BRAUN</a>	ISOLATOR
<a href="#">Art. Nr. 5020003, type SK45/</a>	
<a href="#">Art. Nr. 5020091 , type AKD 45/ 30-300</a>	ANSCHLUSSKLEMME
<a href="#">Art. Nr. 5020084 , type WK 45</a>	WANDERSCHUTZKLEMME
<a href="#">Art. Nr. 5020132 , type LST- 45</a>	STRECKENTRENNER MIT ISOLATOR
<a href="#">Art. Nr. 5040271 , type WLFD- 80/400A</a>	STROMABNEHMER
<a href="#">Art. Nr. 5040272 , type WLFD- 80/400A</a>	STROMABNEHMER
<a href="#">6860083</a>	STEUERUNG NACH SCHALTPLAN
<a href="#">6860085</a>	STEUERUNG NACH SCHALTPLAN
<a href="#">K70 / KSL-75</a>	CURRENT COLLECTING TROLLEY
<a href="#">D5411052</a>	CURRENT COLLECTING TROLLEY
<a href="#">5202407</a>	
<a href="#">Typ KSL75</a>	Aluminum Conductor Rail
<a href="#">Connectors and brackets for Typ KSL75</a>	
<a href="#">GS45/1KS-08/SONDER</a>	Rotary Contact
<a href="#">HGE 12-8/35-8298B-10A 380V</a>	
<a href="#">D5411040</a>	