

Weishaupt



Weishaupt - производит товары высокого качества, и имеет безупречную репутацию. Благодаря тому, что наша компания напрямую сотрудничает с фирмой-производителем, Вы сможете быстро получить товар по самой низкой цене. Если нужного товара, нет в списке, сообщите нам, и мы поможем Вам его найти.

ТОВАРЫ БРЕНДА

Продукт	Описание
1/1S-233-730	
100128891	IGNITION CABLE/ 6,2/4,1;LENGTH 800 MM
100160646	IONIZATION CABLE
100208939	IONIZATION CABLE
11138110092	nozzle head
12146406072	REG VALVE
17540811032	ATES KABL
232 100 14207	
232 200 14217	
27740612012	TRAFO
27780514417	ATES ELEKT
43000.	
45MAPERVANEMO24	propeller fan 180*70 S1 50-60
45MTRFNEC500001	motor fan ECK05/A-2
45MTRFNEC500002	Motor ACI WG.WL30-40
560-30	
603112	IGNITION TRANS
612981	Regulating nozzle
640096	BAS SWITCH
640097	BAS SWITCH
651085	STEP MOTOR
651085	SERVOMOTOR
652 101	
691373	BAS SALT
691378	PRESSURE SWITCH/GW50A5/1;NOMINAL VOLTAGE:24,000 V; NOMINAL VOLTAGE: 110,000 V;NOMINAL VOLTAGE: 230,000 V; DEGREE OF PROTECTION: IP54;5.0-50 MBAR
691381	PRESSURE SWITCH/ NOMINAL VOLTAGE: 24,000 V; NOMINAL VOLTAGE: 110,000 V; NOMINAL VOLTAGE: 230,000 V; DEGREE OF PROTECTION: IP54; MEASURING RANGE: 5 - 50 MBAR
AGG5.220	TRANSFORMER/ PRIMARY AC 230 V./SECONDARY 3 X AC 12 V. MAINS FREQUENCY:50...60 HZ ±6 % /
BRENNERMOTOR G50	
CONE SUS 316	for pneumatic control valve with l/p positioner, straight way valve PVR-81 size DN15 JIS 16K-95
FAN MOTOR FOR WG3N	combustion air from the motor fan for WG3N/1 80.09FWE 2582578

Продукт	Описание
FAN TURBINE FOR WG2	Depending on the engine air turbine for WG3N/1 80.09FWE 2582578
FLANGE SEALING FOR WM-G20/2-3 330 X 255	
FRS 520 RPZ 640 679	PRESSURE REGULATOR
GEBLÄSERAD G50	
GUIDING BAND, BRONZE TEFLON	for pneumatic control valve with l/p positioner, straight way valve PVR-81 size DN15 JIS 16K-95
KS40-180-9090M-D35	
LFL 1.333	
LGW 10 A2	Pressure switch
LGW50A2P	DIFFERENTIAL PRESSURE SWITCH/2,5 - 50 MBAR; NOMINAL VOLTAGE: 230,000 V; NOMINAL VOLTAGE: 110,000 V; NOMINAL VOLTAGE: 24,000 V;DEGREE OF PROTECTION: IP54
N-NBR 70 DIN 3771 160X3 FUR WF 520/1 445 053	O-RING
ORDER CODE: 600501	
ORDER NO. 27770525010	
ORDER NO. 651426	
ORDER NO.: 600659	
P/N:491241	
PACKING RING, PTEF SILK YAM	for pneumatic control valve with l/p positioner, straight way valve PVR-81 size DN15 JIS 16K-95
PNEUMATIC CONTROL VALVE WITH L/P POSITIONER, JIS16K-4X15	for pneumatic control valve with l/p positioner, straight way valve PVR-81 size DN15 JIS 16K-95
PRESSURE GAUGE.	
QRI B2B180B.	flame sensor OR W-FM 100/200 SIEMENS
REGULATION NOZZLE	type W50; Series 4; 125 kg/H
RING, TEFLON	for pneumatic control valve with l/p positioner, straight way valve PVR-81 size DN15 JIS 16K-95
SAFETY RELIEF VALVE	full bore type 20kgf/cm2 size 50x80
SEALING JIC 3063-R	for pneumatic control valve with l/p positioner, straight way valve PVR-81 size DN15 JIS 16K-95
SEAT SUS 316	for pneumatic control valve with l/p positioner, straight way valve PVR-81 size DN15 JIS 16K-95
SHAFT SEAL FOR BOILER BURNER,601060	
Spare parts for G11/1-D ZMD	
SQM 45.291	stepping Motor,G 70/1-B TIP
SQM45.291 A9 3NM	
SQM90.200 B2790	SERVO MOTOR
STUFFING BOX BRASS	for pneumatic control valve with l/p positioner, straight way valve PVR-81 size DN15 JIS 16K-95
STUFFING BOX FLANGE SC49	for pneumatic control valve with l/p positioner, straight way valve PVR-81 size DN15 JIS 16K-95
STUFFING BOX GLAND S20C	for pneumatic control valve with l/p positioner, straight way valve PVR-81 size DN15 JIS 16K-95
T3C 10-7W	Pump for burner model:RL 70/2-A, ZM, Thermal power: 9500 kW, Boiler thermal power = 9158 kW, catalog no: We21170502
TEMPERATURE SENSOR	

Продукт	Описание
VALVE SPINDLE SUS 316	for pneumatic control valve with l/p positioner, straight way valve PVR-81 size DN15 JIS 16K-95
WF 520/1 151 224 4011 2	FILTEREINSATZ
WF 520/1 DIN-DVGW 87.06F281 151 223 4016/0	GASFILTER
W-FM100	
W-FM200 NR. 600 453	OZ REGULATION SYSTEM
WG 30F ZM-LN	Burner
WG10F/1-D ZM-LN	BURNER
WG20	
WG20/1-C 30-200 KW	BURNER
WG20F/1-C ZM-LN	BURNER
WG20F/1-C-ZM-LN	[Weishaupt propane sliding 2 stage gas burner (Modulating)]
WG20N/1-A-Z-NA	BURNER SOL. GMBHD-88475 OVEN APV
WG20N/1-C-ZM-LN-1-507	gas burner
WG30 K/1-C ZM-LN MIN 55KW MAX 275 KW	GAS BURNER
WG30N/1-C	burner
WG30N/1-C-ZM-LN-1-512	gas burner
WKG(L)80/3-NR H1	DIFFUSER
WM-D90/90-2/1K0	
W-MF507	DOUBLE SOLENOID VALVE/NOMINAL VOLTAGE: 230,000 V; NOMINAL FREQUENCY: 60,000 HZ; NOMINAL FREQUENCY:50,000 HZ; NOMINAL WIDTH 1: DN25 (1"); NOMINAL WIDTH 2: DN25 (1")
W-MF512	
WM-G(L)10/3	
WM-G30/3-A, 300 MBAR	
WM-G30/3-A-2"	
heating resistance for rms 50/2-a-zm	wev3.1
temperature limit control for rms 50/2-a-zm	0-200 celsius
temperature sensor for rms 50/2-a-zm	pt-100
temperature controller for rms 50/2-a-zm	DR-100
ignition electrodes for rms 50/2-a-zm	set with cable
T2C for rms 50/2-a-zm	fuel pump
00382106	
AM20.02	Display mit Folientastatur
00456352	
00400025	
WEV3.1 HEATING ELEMENT FOR RMS 50/2-A-ZM	HEATING ELEMENT FOR BURNER
TEMPERATURE LIMIT CONTROL (0-200) C FOR RMS 50/2-A-ZM	TEMPERATURE LIMIT CONTROL FOR BURNER
PT100 FOR RMS 50/2-A-ZM	TEMPERATURE SENSOR FOR BURNER
DR-100 FOR RMS 50/2-A-ZM	TEMPERATURE CONTROLLER FOR BURNER

Продукт	Описание
IGNITION ELECTRODE FOR RMS 50/2-A-ZM	IGNITION ELECTRODE FOR BURNER
T2C FOR RMS 50/2-A-ZM	FUEL PUMP FOR BURNER
W-TYPE 50 DEG WITH ELECTRODES	Nozzle
ECK05/F2	Motor Burner
W640	Fan for burner motor
W-FM20 3.11 obsolete	
Nr. 240 3100 703/2	
S1 50-60 W30C-WL30C unknown	Burner motor fan
Digital display with WG30.40	Digital Display
STE 4.5 B036/601	Motor
KS 40-108	
602819	Regeldüse
Type: RMS-10 SN: 5828756	
Part No: 601 051	PUMP TA3
251 303 1101 2	FAISCEAU ALLUMAGE 400MM
3065/1, DN 65	filter
3080/1, DN 80	filter
600 336	
W-FM 200	
WKG50/2-A ZMH	Elektronik Gaz (doğal gaz / LPG) brülörü
DN65	
DN80	
600 439	
652 084	
652 113	
2412100804/2	
2411100804/2	
WG30N/1-C ZM	ignition electrode
MPA-20-WFM-20- obsolete. W-FM25 - replacement	BURNER BRAIN W-FM20
L3Z-A / D-C-obsolete-replaced by WM-L + accessories	BURNER
21111040 / WM-L10/4-A Ausf. T	Ölbrenner
21003018	Manometer
21003019	Vakuum-Manometer
21000300	Ölschlauch
21003031	Brennerausführung
25003086	Motor
21003024	Flammenfühler
W-FM25	
W-FM25 Mounting Part for WG30/40	
WG30N/1-C ZM LN R1	Stove top burner
ZM- T / OBSOLETE	burner

Продукт	Описание
DMW-D 512/11 600 483	Gas valve
WG30.40 Type: STE 4.5 B036/601	Gas Motor
WG30.40 Type: STE 4.5 B036/601L	Air Motor
GW 150 A5/1	
ECK 05/A-2 SRBU 0,75/2 C65	
WG 20 N/1-C Z-LN (We23221334) 232 216 34	Burner
W-MF-SE 512 C01 S22 We2412100202-2 We2411100210-7 We2412100205-7 We2414000215-7 We2411100206-2 We651103 We651102 We2322100201-2 We2412100207-2 We2410500202-2	GasMultiBloc regulator DUNGS
ECK-05-2 ZA 241 210 0207/7	MOTOR Luftregler
Burner for Steam boiler 70 M2 G8/1 D 400-2250 KW	Burner
KS40 108 9090 MD35 OEM, alternative KS40-108- 9090E-D51 111 974 08 02/1	Control Device Fan part
Fan wheel 345 x 100 S1 50 Hz blue	Fan wheel
ECK03/H-2/1 600499 612977 612 975 11197410077 11197410087 11187415012 11056412012 612973 743192	BRULOR FAN MOTOR
W-FM 100/200 MN92500029 - obsolete G70/2-A RGL70/2-A	TRANSFORMER low-emission gas burner low-emission burner
651335 TYP 1050/23 S6 MODEL	

Продукт	Описание
KS40-108-9090E-D51	Brennerregler
W-FM 512	
W-MF 507 SE	
G3/1-E verz. ZMD - Obsolete!!	Gas Burner
WG40N/1-A ZM-LN	
KS40-108-9090E-D51 obsolete, alternative 703042/181-120-23/064	Universal controller,
703042/181-120-23/064	Kompaktregler mit Programmfunktion
ECK05/F2,230V	Motor
ECK04/A2	Motor Burner
S1 03/2	Burner Motor Fan
ECK-05-2 ZA	
1513278501/0	Leak indicator glass of nat gas
WM-G30/3-A ZM-3LN oem	
WM-G30/1-A ZM-3LN oem	
W-MF 507 C	
"Extension cable No.4 ign unit W-FM25"	
W-D90/90-2/1K0 220- 240/380-415V (21510407010)	Motor
TLR-S 217X92 S1 50Hz SIZE 3	Fan wheel
15132714357	flame sensor electrode
Zündgerät Typ W-ZG02	
STE 4,5	Schrittmotor Gas
STE 4,5 B036/6-01LA	Schrittmotor Luft
W-ZG01	Zündgerät
ECK04/F-2 replaced by ECK04/A-2	Burner Fan Motor
23221644	
W-MF 512 C replaced by W- MF SE512 S22	
ECK04/A-2	Motor
W-MF SE512 S22	Mehrfachstellgerät
23210014207	Fühlerelektrode
WG30N/1-C, Ausf. ZM-LN	
WM-G30/3-A ZM	
600483	
691379	
Anzeige- und Bedieneinheit ABE für W-FM 50/54 (600408)	
651483	
1513271419/7	Ionisationselektrode
STE 50	
RL RMS LEFT - 21150410037	

Продукт	Описание
RL RMS RIGHT - 21150410047	
652 113	Burner Motor
WM-G20/2-A	Burner
21770411032	
651483	
23220014217	
691381	
21710514552	
21810411042	
23210014207	
691378	
691373	
716500	
716501	
601150	Ölpumpe J6
OGO816 04507	
OGO816 04479	
Nr. 651 483	Servomotor
Nr. 651 484	Servomotor
WM - D112 / 110-2 / 3K0 obsolete replaced by WM-D112/140-2/3K0	Electric Motor
WM-D112/140-2/3K0	Motor
W-DK 2/02	VALVE PROVING PROGRAMMER FOR AUXILIARY BOILER
11187415012	Ölregler Serie 08 Reglerwelle 1/2
11238113042	
TYPE:W-D90 NO:D-88475 obsolete	MOTOR
151 334 2609/2	
WG30 N/1-C ZM-LN	Gas Burner
WG40 N/1-A ZM-LN	Gas Burner
STE 4,5 24V	
W-ZG 02/2	
601628 obsolete, replaced by 601898	
601069	Deckeldichtung J-H-E
11115109017	Kupplungskreuz Gr. 1-40 NBR Perbunan
601079	Wellendichtung
601898	Pumpe AEV 97 C 7213 4P
0036PROD-ID-NR0085AS0310DIN REG-NR F133/97	
651103	
651101	
603186	
W-MF SE512 S 22	
11111	
WM-GL30/1-A/ZM-T(W-FM 54)	

Продукт	Описание
121 K 2421	
612816	Regeldüse
600410	Feuerungsmanager
600411	Feuerungsmanager
3.11	
Item No. 14.12 Model RMS8-2 ZMD	Regulating Noozle Typ W 50 200 kG/H
604 600	Solenoid Valve
604 606	Solenoid Valve
Item No. 3.49 Model RMS8-2 ZMD	Servo Drive
Item No. R20537078 Model RMS8-2 ZMD	Temperature controller weisloch
600 177	
QRI 2B2.B180B	Flammenfühler
23220008022-obsolete-no replacement	Fan Wheel
512 30001020	
KS20-100-RD010-035	KONTROLLER
W-MF 507	D MV Solenoid Valve
W-FM 50	Feuerungsmanager
232 123 24	
232 126 24	
21170415112 RWS 5	
G9-G11 9	SENSOR ELECTRODE
W/FM25	
23010100280	
24105012062	
604536	Magnetventil 321H2522
604542	Magnetventil 322H7306
PN: 2117045112	Burner oil regulator
RWS5	Fuel regulator
P/N 111 974 0715/2	
D132/120-2A	Burner motor
Ref.: 512 220 4102/0 Type: WEV2.2/01	
DMV 5080/12	Valve